MATERIAL SAFETY 3M DATA SHEET 3M Center St. Paul, Minnesota 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours) Copyright, 2002, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon. DIVISION: COMMERCIAL CARE DIVISION TRADE NAME: 3M Brand 3-IN-1 FLOOR CLEANER CONCENTRATE (Product No. 24, Twist 'n Fill (tm) System ID NUMBER/U.P.C.: 70-0708-3106-3 00-48011-23553-5 70-0708-3144-4 00-48011-23584-9 70-0708-4006-4 00-48011-23553-5 70-0709-9336-8 - -70-0710-0981-8 00-48011-23914-4 -ISSUED: January 09, 2002 SUPERSEDES: January 17, 2001 DOCUMENT: 08-4516-4 \_\_\_\_\_ C.A.S. NO. PERCENT 1. INGREDIENT \_\_\_\_\_ 

 2-ETHYL-HEXYLOXYETHANOL.....
 24938-91-8
 30
 - 70

 2-ETHYL-HEXYLOXYETHANOL....
 1559-35-9
 10
 - 30

 WATER.....
 7732-18-5
 5
 - 10

 DIETHYLENE GLYCOL MONO(2-ETHYLUPYU)
 10
 - 10

DIETHYLENE GLYCOL MONO(2-ETHYLHEXYL) ETHER...... 1559-36-0 Unknown 1 - 5 0.5 - 1.5 FRAGRANCE..... Unknown IN CASE OF EMERGENCY: THE NUMBERS AT THE TOP OF THIS PAGE PROVIDE 24 HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS PRODUCT. The components of this product are in compliance with the chemical notification requirements of TSCA. This product contains the following toxic chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR Part 372: 2-ETHYL-HEXYLOXYETHANOL DIETHYLENE GLYCOL MONO(2-ETHYLHEXYL) ETHER

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand 3-IN-1 FLOOR CLEANER CONCENTRATE (Product No. 24, Twist 'n Fill (tm) System January 09, 2002 PAGE 2 \_\_\_\_\_ 2. PHYSICAL DATA \_\_\_\_\_ BOILING POINT:..... N/D VAPOR PRESSURE: ..... N/D VAPOR DENSITY: ..... N/D EVAPORATION RATE: ..... N/D SOLUBILITY IN WATER:..... complete SPECIFIC GRAVITY:..... ca. 0.95 Water=1 PERCENT VOLATILE:..... ca. 10 % pH:.....7 - 8 VISCOSITY:..... < 100 centipoise MELTING POINT: ..... N/D APPEARANCE AND ODOR: Liquid, dark blue. Citrus odor. \_\_\_\_\_ 3. FIRE AND EXPLOSION HAZARD DATA \_\_\_\_\_ FLASH POINT:..... > 200 F FLAMMABLE LIMITS - LEL:..... N/D FLAMMABLE LIMITS - UEL:..... N/D AUTOIGNITION TEMPERATURE:..... N/D EXTINGUISHING MEDIA: Water spray, Carbon dioxide, Dry chemical, Foam SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head. UNUSUAL FIRE AND EXPLOSION HAZARDS: Not determined. NFPA HAZARD CODES: HEALTH: 2 FIRE: 1 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none \_\_\_\_\_ 4. REACTIVITY DATA \_\_\_\_\_ STABILITY: Stable INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID: Strong Bases, Strong Oxidizing Agents. HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur. \_\_\_\_\_ Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand 3-IN-1 FLOOR CLEANER CONCENTRATE (Product No. 24, Twist 'n Fill (tm) System January 09, 2002 PAGE 3 \_\_\_\_\_ 4. REACTIVITY DATA (continued) \_\_\_\_\_ HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide. \_\_\_\_\_ 5. ENVIRONMENTAL INFORMATION \_\_\_\_\_ SPILL RESPONSE: Observe precautions from other sections. Ventilate area. Contain spill. Cover with absorbent material. Collect spilled material. Clean up residue with water. Place in a closed container. RECOMMENDED DISPOSAL: Incinerate in an industrial or commercial facility. ENVIRONMENTAL DATA: Not determined. **REGULATORY INFORMATION:** Volatile Organic Compounds: ca. 1 %. VOC Less H2O & Exempt Solvents: N/D. Since regulations vary, consult applicable regulations or authorities before disposal. In the event of an uncontrolled release of this material, the user should determine if the release qualifies as a reportable quantity. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous). TSCA: All components used in the manufacture of this material are in compliance with the US TSCA inventory. EPCRA HAZARD CLASS: FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO ACUTE: Yes CHRONIC: Yes \_\_\_\_\_ 6. SUGGESTED FIRST AID \_\_\_\_\_ EYE CONTACT: Immediately flush eyes with large amounts of water. Get immediate medical attention. SKIN CONTACT: Flush skin with large amounts of water. If irritation persists, get medical attention. \_\_\_\_\_ Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand 3-IN-1 FLOOR CLEANER CONCENTRATE (Product No. 24, Twist 'n Fill (tm) System January 09, 2002 PAGE 4 \_\_\_\_\_ 6. SUGGESTED FIRST AID (continued) \_\_\_\_\_ INHALATION: If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician. IF SWALLOWED: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person. \_\_\_\_\_ 7. PRECAUTIONARY INFORMATION \_\_\_\_\_ EYE PROTECTION: NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, eye contact with the concentrate is not expected to occur. Avoid eye contact. Wear unvented goggles during operations in which exposure is likely. SKIN PROTECTION: NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, skin contact with the concentrate is not expected to occur. Avoid skin contact. Wear appropriate gloves when handling this material. A pair of gloves made from the following material(s) are recommended: butyl rubber. RECOMMENDED VENTILATION: NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, special ventilation is not required. Use in a well-ventilated area. Use with adequate dilution ventilation. RESPIRATORY PROTECTION: NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, respiratory protection is not required. Avoid prolonged breathing of vapors. Select one of the following NIOSH approved respirators based on airborne concentration of contaminants and in accordance with OSHA regulations: half-mask organic vapor respirator. PREVENTION OF ACCIDENTAL INGESTION: Do not ingest. **RECOMMENDED STORAGE:** Keep container closed when not in use. Keep out of the reach of children. \_\_\_\_\_

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand 3-IN-1 FLOOR CLEANER CONCENTRATE (Product No. 24, Twist 'n Fill (tm) System January 09, 2002 PAGE 5

7. PRECAUTIONARY INFORMATION (continued)

FIRE AND EXPLOSION AVOIDANCE: Keep container tightly closed. May form explosive peroxides.

OTHER PRECAUTIONARY INFORMATION: This product is not intended to be used without prior dilution as specified on the product label.

HMIS HAZARD RATINGS: HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0 PERSONAL PROTECTION: X (See precautions, section 7.)

## EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
POLYOXYETHYLENE TRIDECYL ETHER 2-ETHYL-HEXYLOXYETHANOL	NONE NONE NONE	NONE NONE NONE	NONE NONE NONE	NONE NONE NONE	
DIETHYLENE GLYCOL MONO(2- ETHYLHEXYL) ETHER FRAGRANCE	NONE NONE	NONE NONE	NONE NONE	NONE NONE	

\* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA: - NONE: None Established

8. HEALTH HAZARD DATA

\_\_\_\_\_

## EYE CONTACT:

Moderate Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing, and hazy vision.

SKIN CONTACT:

Moderate Skin Irritation: signs/symptoms can include redness, swelling, itching, and dryness.

May be absorbed through the skin and produce effects similiar to those caused by inhalation and/or ingestion.

## INHALATION:

Single exposure may cause:

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand 3-IN-1 FLOOR CLEANER CONCENTRATE (Product No. 24, Twist 'n Fill (tm) System January 09, 2002 PAGE 6 \_\_\_\_\_ 8. HEALTH HAZARD DATA (continued) \_\_\_\_\_ Prolonged or repeated exposure may cause: Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness. IF SWALLOWED: Ingestion is not a likely route of exposure to this product. Ingestion may cause: Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus, and blood in feces. Aspiration Pneumonitis: signs/symptoms can include coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. \_\_\_\_\_ SECTION CHANGE DATES \_\_\_\_\_ HEADING SECTION CHANGED SINCE January 17, 2001 ISSUE \_\_\_\_\_ Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately \_\_\_\_\_ The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that

particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition,

information obtained from a database may not be as current as the

information in the MSDS available directly from 3M.

the user evaluate the 3M product to determine whether it is fit for a