



MATERIAL SAFETY DATA SHEET **BROMICIDE GRANULES**

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	BROMICIDE GRANULES
CHEMICAL NAME	1-Bromo-3-chloro-5, 5-dimethylhydantoin
PRODUCT USE	Industrial Water Treatment
SUPPLIER	BWA Water Additives US LLC
	1979 Lakeside Parkway
	Suite 925,Tucker. GA30084.
	T: (800) 600-4523 .
	(Technical/commercial enquiries)
	E: MSDS@wateradditives.com
EMERGENCY TELEPHONE	Chemtrec Phone: 1-800-424-9300
IDENTIFICATION No.	UN3085

2 HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

INHALATION

May cause irritation to the respiratory system. INGESTION Harmful if swallowed. SKIN CONTACT Causes burns. EYE CONTACT Causes burns. **HEALTH WARNINGS** This substance is corrosive.

ROUTE OF ENTRY

Skin and/or eye contact. Inhalation: Ingestion.

CARCINOGENICITY

This substance has no evidence of carcinogenic properties.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name		EC No.	CAS-No.	Content %
1-Bromo-3-chloro-5,5-dim	nethylhydantoin	240-230-0	16079-88-2	60-100%
EC (EINECS) NO.	240-230-0	•	•	

CAS-NO.

16079-88-2

4 FIRST-AID MEASURES

INHALATION

Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention.

INGESTION

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention immediately!

SKIN CONTACT

Remove contaminated clothing. Rinse the skin immediately with lots of water. Get medical attention if irritation persists after washing.

EYE CONTACT

Remove victim immediately from source of exposure. Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention promptly if symptoms occur after washing.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use: Water spray, fog or mist. Alcohol resistant foam. DO NOT use CO2 or dry chemicals.

SPECIAL FIRE FIGHTING PROCEDURES

Move container from fire area if it can be done without risk. Keep run-off water out of sewers and water sources. Dike for water control.

UNUSUAL FIRE & EXPLOSION HAZARDS

Fire causes formation of toxic gases.

SPECIFIC HAZARDS

Toxic gases/vapors/fumes of: Bromine. Chlorine. Oxides of: Carbon. Nitrogen.

PROTECTIVE MEASURES IN FIRE

Use self-contained breathing apparatus

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Follow precautions for safe handling described in this material safety data sheet. For personal protection, see section 8.

ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment.

SPILL CLEAN UP METHODS

Provide ventilation and confine spill. Do not allow runoff to sewer. Collect and reclaim or dispose in sealed containers in licensed waste. Containers with collected spillage must be properly labeled with correct contents and hazard symbol. Wash thoroughly after dealing with a spillage. Avoid generation and spreading of dust. Avoid contact with water.

7 HANDLING AND STORAGE

HANDLING

Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid spilling, skin and eye contact. Avoid acids, moisture, and combustible materials. Avoid handling which leads to dust formation.

STORAGE

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep containers tightly closed. Protect from light, including direct sunrays. Keep away from heat, sparks and open flame.

STORAGE CLASS

Oxidiser storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT COMMENTS

No exposure limits noted for ingredient(s).

PROCESS CONDITIONS

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station.

PROTECTIVE EQUIPMENT





All handling to take place in well-ventilated area.

RESPIRATORY EQUIPMENT

Use specified dust masks.

HAND PROTECTION

It has been found that gloves made from rubber, neoprene or PVC provide short-term splash protection.

Gloves should be replaced immediately if signs of degradation are observed.

EYE PROTECTION

Use approved safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

Wear dust masks in dusty areas.

HYGIENE MEASURES

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

Isolate contaminated clothing and wash before reuse.

SKIN PROTECTION

Wear apron or protective clothing in case of contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

r.

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions. Avoid: Moisture.

CONDITIONS TO AVOID

Avoid contact with oxidizers or reducing agents. Avoid contact with acids and alkalis. Avoid heat, flames and other sources of ignition.

HAZARDOUS POLYMERISATION

Will not polymerise.

MATERIALS TO AVOID

Strong acids. Strong alkalis. Strong oxides. Strong reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Toxic gases/vapors/fumes of: Hydrogen bromide (HBr). Bromine. Hydrogen chloride (HCl). Chlorine. Oxides of: Carbon. Nitrogen.

11 TOXICOLOGICAL INFORMATION

TOXIC DOSE 1 - LD 50 578 mg/kg (oral rat) TOXIC DOSE 2 - LD 50

>2000 mg/kg (skin-rabbit)

TOXICOLOGICAL INFORMATION

Ames Test negative

INHALATION

May cause irritation to the respiratory system.

INGESTION

Harmful if swallowed.

SKIN CONTACT

Causes burns.

EYE CONTACT

Causes burns.

HEALTH WARNINGS

This substance is corrosive.

OTHER HEALTH EFFECTS

This substance has no evidence of carcinogenic properties.

12 ECOLOGICAL INFORMATION

0.87 0.46
1.005 g/g
>640 American Oyster

13 DISPOSAL CONSIDERATIONS

WASTE MANAGEMENT

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

Absorb in vermiculite or dry sand and dispose of at a licenced hazardous waste collection point.

Liquid material should be incinerated. Material absorbed onto sand or earth should be disposed of as solid waste in accordance with local regulations. Empty packaging may contain product residues and due consideration should be given prior to disposal.

WASTE CLASS

07 01 99

14 TRANSPORT INFORMATION



DOT PROPER SHIPPING
NAMEOXIDIZING SOLID, CORROSIVE, N.O.S., (contains Bromo-chloro-5, 5-dimethylhydantoin)DOT PROPER SHIPPING
NAMEOXIDIZING SOLID, CORROSIVE, N.O.S.(contains Bromo-chloro-5, 5-dimethylhydantoin)TDG SHIPPING NAMEOXIDIZING SOLID, CORROSIVE, N.O.S., (contains Bromo-chloro-5, 5-dimethylhydantoin)IDENTIFICATION No.UN3085DOT HAZARD CLASS5.1 8 +DOT PACKING GROUPIII

U.S DOT HAZARD LABEL	5.1 Oxidizer Corrosive
UN NO. SEA	3085
IMDG CLASS	5.1 + 8
IMDG PACK GR.	III
UN NO. AIR	3085
AIR CLASS	5.1 + 8
AIR PACK GR.	III
TDG CLASS	5.1 + 8
TDG PACKING GROUP	III

15 REGULATORY INFORMATION

INVENTORIES COMPONENT CAN US EU AUS JAP KOR **ICHN** PHLP DSL Non Hazardous Materials 1-Bromo-3-chloro-5,5-dimethylhydantoin DSL Yes. EINECS Yes. Yes. Yes. Yes. Yes. COMPONENT TSCA 12(b) Export Notification Non Hazardous Materials No Yes. 1-Bromo-3-chloro-5,5-dimethylhydantoin **US FEDERAL REGULATIONS** SARA 302-TP(CERCLA-RQ SARA 313 COMPONENT Non Hazardous Materials No. CLEAN AIR ACT COMPONENT **CAA Accidental Release Prevention** Non Hazardous Materials No **US STATE REGULATIONS** COMPONENT CAS PA RI CA FL MA MN NJ Non Hazardous Materials No No No No No No No

REGULATORY STATUS (US)

1-Bromo-3-chloro-5,5-dimethylhydantoin

SECTION 313: This product does not contain toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR Part 372. PROPOSITION 65: This product does not contain chemicals considered by the State of California's Safe Drinking Water and Toxic Enforcement Act of 1986 as causing cancer or reproductive toxicity and for which warnings are now required. TSCA: The ingredients of this product are on the TSCA Inventory. TSCA Export Notification Section 12b.

REGULATORY REFERENCES

29 CFR 1910.1010 Federal Regulations (OSHA Standard).

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM -WHMIS

16079-88-2

No

No

No

No

No

No

No

LABEL(S) FOR SUPPLY





Corrosive Material.

Oxidizing Material.

CONTROLLED PRODUCT CLASSIFICATION


Canadian WHMIS Classification C E

16 OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

HEALTH	3
FLAMMABILITY	1
PHYSICAL	1
PERSONAL PROTECTION	В

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



REVISION COMMENTS

Section 14 Revised Transport classification.

ISSUED BY

J.B.	
REVISION DATE	28/03/2011
VERSION No.	5
SDS NO.	11317