

BD F 723 BX

JAN 01 2001

FF-5

Material Safety Data Sheet

May be used to comply with
OSHA'S Hazard Communication Standard
29 CFR 2910.1200. Standard must be
consulted for specific requirements.

U.S. DEPARTMENT OF LABOR

#29918

Occupational Safety and Health

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

Identity (As Used on Label and List) #659, 681, 682 Big D Extra Duty Urinal Screen With Non Para Block		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	
Section I			
Manufacturer's Name Big D Industries, Inc.		Emergency Telephone Number (800) 535-5053 (800) 654-4752	
Address (number, Street, City, State, and ZIP Code) 5620 S. W. 29th Street (73179) P. O. Box 82219		Telephone Number for Information (800) 654-4752 (405) 682-2541	
Oklahoma City, OK 73148		Date Prepared 01/29/96	
		Signature of Preparer (optional)	
Section II - HMIS Rating			
Health 1 Flammability 2 Reactivity 0			
Section III - Hazardous Ingredients/Identity Information			
Hazardous Components [Specific Chemical Identity: Common Name(s)] OSHA PEL ACGIH TLV Other Limits Recommended % (optional)			
Sodium Sulfate CAS #7757-82-6		N/E	N/E
POE 100 Nonylphenol CAS #9016-45-9		N/E	N/E
Lauramide MEA CAS #142-78-9		N/E	N/E
Cocamide MEA CAS #6840-00-1		N/E	N/E
Alkyl Dimethyl Benzyl Ammonium Chloride CAS #68391-01-1		N/E	N/E
Alkyl Dimethyl Ethyl Benzyl Ammonium Chloride CAS #68956-79-6		N/E	N/E
Section IV - Physical/Chemical Characteristics			
Boiling Point	N/D	Specific Gravity (H ₂ O = 1)	N/D
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/D
Vapor Density (AIR = 1)	N/A	Evaporation Rate	N/D
Solubility in Water: 98%			
Appearance and Odor: Blue cylindrical block with labeled fragrance, cased in white plastic screen.			
Section V - Fire and Explosion Hazard Data			
Flash Point (Method Used) N/A	Flammable Limits N/A		LEL N/A
UEL N/A			
Extinguishing Media Carbon Dioxide, dry foam, water spray			
Special Fire Fighting Procedures None			
Unusual Fire and Explosion Hazards None			

N/A = Not Applicable

Page

N/E = Not Established

OSHA 174, Sept. 1985

Section VI - Reactivity Data			
Stability	Unstable		Conditions to Avoid: None
	Stable	X	
Incompatibility (Materials to Avoid): Avoid contact with strong oxidizing agents such as nitric acid.			
Hazardous Decomposition or Byproducts: None			
Hazardous Polymerization	May Occur		Conditions to Avoid: None
	Will Not Occur	X	
Section VII - Health Hazard Data			
Route(s) of Entry: Inhalation? No Skin? Yes Ingestion? Yes			
Health Hazards (Acute and Chronic): Ingestion of block material may result in gastric disturbance. Induce vomiting and contact a physician. Skin and eye irritant; avoid prolonged contact.			
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No			
Signs and Symptoms of Exposure: None known			
Medical Conditions Generally Aggravated by Exposure: None known			
Emergency and First Aid Procedures: Eyes - contact with block material, flush with water. Ingestion - if block material is ingested, give large amounts of water and induce vomiting; get medical attention.			
Section VIII - Precautions for Safe Handling and Use			
Steps to be Taken in Case Material is Released or Spilled: Sweep up			
Waste Disposal Method: Incineration or landfill for absorbent material. Dispose of in accordance with local, state and federal regulations.			
Other precautions: Do not store near heat or open flame.			
Section IX - Control Measures			
Respiratory Protection (Specify Type): None required			
Ventilation	Local Exhaust	Adequate	Special N/A
	Mechanical (General)	Adequate	Other N/A
Protective Gloves:	None required		
	Eye Protection: None required		
Other Protective Clothing or Equipment: Eye wash/shower facility nearby			
Work/Hygienic Practices: Good housekeeping practices. Avoid skin/eye contact.			