

100 Hale Street
Newburyport, MA 01950
Tel. 800-US STAIN
Fax. (978) 462-2720

Samuel Cabot Inc.

Cabot[®]

Material Safety Data Sheet

33360 Central Avenue
Union City, CA 94587
Tel. 888-WC STAIN
Fax. (510) 477-9615

IDENTITY (As Used on Label and List) **1700 Series The Finish and Tint Bases**

Section I

Emergency Telephone Number Call local emergency medical services.
Call Chem-Tel 1-800-255-3924.

Date Prepared January 1998 Signature of Preparer (Optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s)) CAS # OSHA PEL ACGIH TLV Other Limits Recommended % (Optional)

No hazardous ingredients.

These products contain a maximum Volatile Organic Compound (V.O.C.) content of 250 grams per liter (2.08 pounds per gallon).

Section III - Physical/Chemical Characteristics

Boiling Point	Water	212°F	Specific Gravity (H ₂ O = 1)	1.22
Vapor Pressure (mm Hg.)	@ 68°F	17mm Hg	Melting Point	32°F
Vapor Density (AIR = 1)		> 1	Evaporation Rate (Butyl Acetate = 1)	< 1
Solubility in Water	Dilutable			
Appearance and Odor	Colored liquid - latex emulsion with mild odor			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	N/A Non-combustible	Flammable Limits	No fire hazard	LEL	--	UEL	--
Extinguishing Media	No fire hazard.						
Special Fire Fighting Procedures	Does not apply.						

Unusual Fire and Explosion Hazards

Product will not burn, but closed containers may explode; and the product may boil and spatter when exposed to extreme heat. The dried paint film is capable of burning.

Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid	Non-hazardous
	Stable X		
Incompatibility (<i>Materials to Avoid</i>)			Does not apply.
Hazardous Decomposition or Byproducts			Does not apply.
Hazardous Polymerization	May Occur	Conditions to Avoid	Does not apply.
	Will Not Occur X		

Section VI - Health Hazard Data

Routes of Entry	Inhalation?	Yes	Skin? Yes	Ingestion? Yes
Health Hazards (<i>Acute and Chronic</i>)	May be irritating to eyes, skin, nose, throat. Inhalation may cause headaches and nausea. Ingestion may cause irritation and vomiting.			
Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? No	
Signs and Symptoms of Exposure	Irritation to eyes, skin, respiratory tract. Possible headaches and nausea.			
Medical Conditions Generally Aggravated by Exposure	Persons with breathing difficulties, skin sensitivities, eye sensitivities.			

Emergency and First Aid Procedures

EYES: Flush with water for 15 minutes. Call physician. **SKIN:** Wash affected areas with soap and water. Remove contaminated clothing. **INHALATION:** Remove to fresh air. Restore normal breathing. **INGESTION:** Do not induce vomiting. Drink plenty of milk or water. Call physician immediately.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Dike and contain spill with inert material (i.e. sand, earth). Add absorbent material and remove to closed containers for disposal. Wear protective clothing. Ventilate area.

Waste Disposal Method

Dispose of in accordance with local, state, and federal regulations. Incineration is impractical because of water content.

Precautions to be Taken in Handling and Storing

Do not store near excessive heat or food products. Keep containers closed when not in use. Keep from freezing. Keep away from children and animals.

Section VIII - Control Measures

Respiratory Protection (*Specify Type*) Use approved vapor/mist respirator in areas of poor ventilation.

Ventilation	Local Exhaust	In areas of poor ventilation	Special	None known	Other	None known
	Mechanical (<i>General</i>)	Local exhaust				

Protective Gloves Neoprene or rubber gloves if necessary. Eye Protection Splash proof safety goggles or glasses.

Other Protective Clothing or Equipment Wear a vapor/mist respirator during spray applications.

Work/Hygienic Practices Read label on can before using. Do not reuse empty containers. **Not intended for interior surfaces. For exterior use only.**