

00338-1089**MATERIAL SAFETY DATA SHEET****PRODUCT IDENTIFICATION****Revision Date: 10/01/08**

IDENTITY (As used on label)		Synonyms:
Monotype Colors - White Item # 3001		
Chemical Family:	Formula	
mixture	Mixture of acrylic copolymers and aqueous dispersion of Tio2.	

HAZARDOUS INGREDIENTS

COMPONENT	CAS#	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-4236 Standards			
Ammonia	7664-41-7	.50	

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling/Melting Point: 200°-215° F
Solubility in Water: water expendable
Vapor Pressure (mm Hg): NA
Vapor Density: 1
Specific Gravity (H₂O-1) : 1.1
Evaporation Rate: (BuAct=1): 1
V.O.C.
Appearance and Odor: White, semi viscous paint

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water spray, foam, carbon dioxide, dry chemical
Fire Fighting Procedures: Firefighters wear self-contained breathing apparatus and full protective gear. Do not use water, except as foam.
Unusual Fire and Explosion Hazards: Product may splatter if temperatures exceed boiling point. Polymer films are capable of burning, giving off oxides of carbon and hydrogen cyanide. Keep away from excessive heat or open flame.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid): NA
Hazardous Decomposition of Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Continued on back

Createx Colors - 14 Airport Park Road, East Granby, CT 06026
800.243.2712 phone 860.653.0643 fax

HEALTH INFORMATION

Primary Route of Exposure: Inhalation: Skin: X Ingestion: Eyes:
Carcinogen: IARC: no NTP: no OSHA: no
Signs and Symptoms of Exposure: none found
Medical Conditions Generally Aggravated by Exposure: none found
Emergency and First Aid Procedures: <u>Eye Contact:</u> Flush with water for 15 minutes and consult physician if irritation persists. <u>Skin Contact:</u> Wash well with soap and water; remove contaminated clothes and wash. <u>Ingestion:</u> If victim is conscious, give 2 glasses of water. DO NOT INDUCE VOMITING. Call physician.

SPECIAL PROTECTION DATA

Respiratory Protection: No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.
Ventilation: Always use with adequate ventilation.
Protective Gloves: Use rubber gloves if handling.
Other Protective Clothing: No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking and smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill: Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling: Keep container closed when not in use.
Waste Disposal Method: Sanitary landfill in accordance with local, state and federal regulations.
Other Precautions: none

MATERIAL SAFETY DATA SHEET



PRODUCT IDENTIFICATION

Revision Date: 10/01/08

IDENTITY (As used on label)		Synonyms:
Monotype Colors - Black Item # 3023		
Chemical Family:	Formula	
mixture	Mixture of acrylic copolymers and pigments in aqueous dispersions.	

HAZARDOUS INGREDIENTS

COMPONENT	CAS#	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-4236 Standards			
Ammonia	7664-41-7	.50	

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling/Melting Point: 200°-215° F
Solubility in Water: water expendable
Vapor Pressure (mm Hg): NA
Vapor Density: 1
Specific Gravity (H₂O-1) : 1.1
Evaporation Rate: (BuAct=1): 1
V.O.C.
Appearance and Odor: Black colored semi viscous paint

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water spray, foam, carbon dioxide, dry chemical
Fire Fighting Procedures: Firefighters wear self-contained breathing apparatus and full protective gear.
Unusual Fire and Explosion Hazards: Product may splatter if temperatures exceed boiling point. Polymer films are capable of burning, giving off oxides of carbon and hydrogen cyanide.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid): NA
Hazardous Decomposition of Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Continued on back

Creutex Colors - 14 Airport Park Road, East Granby, CT 06026
800.243.2712 phone 860.653.0643 fax

HEALTH INFORMATION

Primary Route of Exposure: Inhalation: Skin: X Ingestion: Eyes:
Carcinogen: IARC: no NTP: no OSHA: no
Signs and Symptoms of Exposure: none found
Medical Conditions Generally Aggravated by Exposure: none found
Emergency and First Aid Procedures: <u>Eye Contact:</u> Flush with water for 15 minutes and consult physician if irritation persists. <u>Skin Contact:</u> Wash well with water. <u>Ingestion:</u> If victim is conscious, give 2 glasses of water. DO NOT INDUCE VOMITING. Call physician.

SPECIAL PROTECTION DATA

Respiratory Protection: No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.
Ventilation: Always use with adequate ventilation.
Protective Gloves: Use rubber gloves if handling.
Other Protective Clothing: No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking and smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill: Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling: Keep container closed when not in use.
Waste Disposal Method: Sanitary landfill in accordance with local, state and federal regulations.
Other Precautions: none

MATERIAL SAFETY DATA SHEET



PRODUCT IDENTIFICATION

Revision Date: 10/01/08

IDENTITY (As used on label)		Synonyms:
Monotype Colors - Primary Red Item # 3008		
Chemical Family:	Formula	
mixture	Mixture of acrylic copolymers and pigments in aqueous dispersions.	

HAZARDOUS INGREDIENTS

COMPONENT	CAS#	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-4236 Standards			
Ammonia	7664-41-7	.50	

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling/Melting Point: 200°-215° F
Solubility in Water: water expendable
Vapor Pressure (mm Hg): NA
Vapor Density: 1
Specific Gravity (H₂O-1) : 1.1
Evaporation Rate: (BuAct=1): 1
V.O.C.
Appearance and Odor: Red colored semi viscous paint

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water spray, foam, carbon dioxide, dry chemical
Fire Fighting Procedures: Firefighters wear self-contained breathing apparatus and full protective gear.
Unusual Fire and Explosion Hazards: Product may splatter if temperatures exceed boiling point. Polymer films are capable of burning, giving off oxides of carbon and hydrogen cyanide.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid): NA
Hazardous Decomposition of Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Continued on back

Creutex Colors - 14 Airport Park Road, East Granby, CT 06026
800.243.2712 phone 860.653.0643 fax

HEALTH INFORMATION

Primary Route of Exposure: Inhalation: Skin: X Ingestion: Eyes:
Carcinogen: IARC: no NTP: no OSHA: no
Signs and Symptoms of Exposure: none found
Medical Conditions Generally Aggravated by Exposure: none found
Emergency and First Aid Procedures: <u>Eye Contact:</u> Flush with water for 15 minutes and consult physician if irritation persists. <u>Skin Contact:</u> Wash well with water. <u>Ingestion:</u> If victim is conscious, give 2 glasses of water. DO NOT INDUCE VOMITING. Call physician.

SPECIAL PROTECTION DATA

Respiratory Protection: No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.
Ventilation: Always use with adequate ventilation.
Protective Gloves: Use rubber gloves if handling.
Other Protective Clothing: No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking and smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill: Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling: Keep container closed when not in use.
Waste Disposal Method: Sanitary landfill in accordance with local, state and federal regulations.
Other Precautions: none

MATERIAL SAFETY DATA SHEET



PRODUCT IDENTIFICATION

Revision Date: 10/01/08

IDENTITY (As used on label)		Synonyms:	
Monotype Colors - Primary Yellow Item # 3002			
Chemical Family:	Formula		
mixture	Mixture of acrylic copolymers and pigments in aqueous dispersions.		

HAZARDOUS INGREDIENTS

COMPONENT	CAS#	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-4236 Standards			
Ammonia	7664-41-7	.50	

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling/Melting Point: 200°-215° F
Solubility in Water: water expendable
Vapor Pressure (mm Hg): NA
Vapor Density: 1
Specific Gravity (H₂O-1) : 1.1
Evaporation Rate: (BuAct=1): 1
V.O.C.
Appearance and Odor: Yellow colored semi viscous paint

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water spray, foam, carbon dioxide, dry chemical
Fire Fighting Procedures: Firefighters wear self-contained breathing apparatus and full protective gear.
Unusual Fire and Explosion Hazards: Product may splatter if temperatures exceed boiling point. Polymer films are capable of burning, giving off oxides of carbon and hydrogen cyanide.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid): NA
Hazardous Decomposition of Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Continued on back

Creutex Colors - 14 Airport Park Road, East Granby, CT 06026
800.243.2712 phone 860.653.0643 fax

HEALTH INFORMATION

Primary Route of Exposure:			
Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:			
IARC: no	NTP: no	OSHA: no	
Signs and Symptoms of Exposure:			
none found			
Medical Conditions Generally Aggravated by Exposure:			
none found			
Emergency and First Aid Procedures:			
<u>Eye Contact:</u> Flush with water for 15 minutes and consult physician if irritation persists.			
<u>Skin Contact:</u> Wash well with water.			
<u>Ingestion:</u> If victim is conscious, give 2 glasses of water. DO NOT INDUCE VOMITING. Call physician.			

SPECIAL PROTECTION DATA

Respiratory Protection:
No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.
Ventilation:
Always use with adequate ventilation.
Protective Gloves:
Use rubber gloves if handling.
Other Protective Clothing:
No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking and smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill:
Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling:
Keep container closed when not in use.
Waste Disposal Method:
Sanitary landfill in accordance with local, state and federal regulations.
Other Precautions:
none

MATERIAL SAFETY DATA SHEET



PRODUCT IDENTIFICATION

Revision Date: 10/01/08

IDENTITY (As used on label)		Synonyms:
Monotype Colors - Pthalo Blue Item # 3012		
Chemical Family:	Formula	
mixture	Mixture of acrylic copolymers and pigments in aqueous dispersions.	

HAZARDOUS INGREDIENTS

COMPONENT	CAS#	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-4236 Standards			
Ammonia	7664-41-7	.50	

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling/Melting Point: 200°-215° F
Solubility in Water: water expendable
Vapor Pressure (mm Hg): NA
Vapor Density: 1
Specific Gravity (H₂O-1) : 1.1
Evaporation Rate: (BuAct=1): 1
V.O.C.
Appearance and Odor: Blue colored semi viscous paint

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water spray, foam, carbon dioxide, dry chemical
Fire Fighting Procedures: Firefighters wear self-contained breathing apparatus and full protective gear.
Unusual Fire and Explosion Hazards: Product may splatter if temperatures exceed boiling point. Polymer films are capable of burning, giving off oxides of carbon and hydrogen cyanide.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid): NA
Hazardous Decomposition of Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Continued on back

Createx Colors - 14 Airport Park Road, East Granby, CT 06026
800.243.2712 phone 860.653.0643 fax

HEALTH INFORMATION

Primary Route of Exposure: Inhalation: Skin: X Ingestion: Eyes:
Carcinogen: IARC: no NTP: no OSHA: no
Signs and Symptoms of Exposure: none found
Medical Conditions Generally Aggravated by Exposure: none found
Emergency and First Aid Procedures: <u>Eye Contact:</u> Flush with water for 15 minutes and consult physician if irritation persists. <u>Skin Contact:</u> Wash well with water. <u>Ingestion:</u> If victim is conscious, give 2 glasses of water. DO NOT INDUCE VOMITING. Call physician.

SPECIAL PROTECTION DATA

Respiratory Protection: No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.
Ventilation: Always use with adequate ventilation.
Protective Gloves: Use rubber gloves if handling.
Other Protective Clothing: No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking and smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill: Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling: Keep container closed when not in use.
Waste Disposal Method: Sanitary landfill in accordance with local, state and federal regulations.
Other Precautions: none

MATERIAL SAFETY DATA SHEET



PRODUCT IDENTIFICATION

Revision Date: 10/01/08

IDENTITY (As used on label)		Synonyms:
Monotype Colors - Carbazole Violet Item # 3022		
Chemical Family:	Formula	
mixture	Mixture of acrylic copolymers and pigments in aqueous dispersions.	

HAZARDOUS INGREDIENTS

COMPONENT	CAS#	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-4236 Standards			
Ammonia	7664-41-7	.50	

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling/Melting Point: 200°-215° F
Solubility in Water: water expendable
Vapor Pressure (mm Hg): NA
Vapor Density: 1
Specific Gravity (H₂O-1) : 1.1
Evaporation Rate: (BuAct=1): 1
V.O.C.
Appearance and Odor: Purple colored semi viscous paint

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water spray, foam, carbon dioxide, dry chemical
Fire Fighting Procedures: Firefighters wear self-contained breathing apparatus and full protective gear.
Unusual Fire and Explosion Hazards: Product may splatter if temperatures exceed boiling point. Polymer films are capable of burning, giving off oxides of carbon and hydrogen cyanide.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid): NA
Hazardous Decomposition of Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Continued on back

Creutex Colors - 14 Airport Park Road, East Granby, CT 06026
800.243.2712 phone 860.653.0643 fax

HEALTH INFORMATION

Primary Route of Exposure:			
Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:			
IARC: no	NTP: no	OSHA: no	
Signs and Symptoms of Exposure:			
none found			
Medical Conditions Generally Aggravated by Exposure:			
none found			
Emergency and First Aid Procedures:			
<u>Eye Contact:</u> Flush with water for 15 minutes and consult physician if irritation persists.			
<u>Skin Contact:</u> Wash well with water.			
<u>Ingestion:</u> If victim is conscious, give 2 glasses of water. DO NOT INDUCE VOMITING. Call physician.			

SPECIAL PROTECTION DATA

Respiratory Protection:
No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.
Ventilation:
Always use with adequate ventilation.
Protective Gloves:
Use rubber gloves if handling.
Other Protective Clothing:
No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking and smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill:
Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling:
Keep container closed when not in use.
Waste Disposal Method:
Sanitary landfill in accordance with local, state and federal regulations.
Other Precautions:
none

MATERIAL SAFETY DATA SHEET



PRODUCT IDENTIFICATION

Revision Date: 10/01/08

IDENTITY (As used on label)		Synonyms:
Monotype Colors - Pthalo Green Item # 3014		
Chemical Family:	Formula	
mixture	Mixture of acrylic copolymers and pigments in aqueous dispersions.	

HAZARDOUS INGREDIENTS

COMPONENT	CAS#	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-4236 Standards			
Ammonia	7664-41-7	.50	

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling/Melting Point: 200°-215° F
Solubility in Water: water expendable
Vapor Pressure (mm Hg): NA
Vapor Density: 1
Specific Gravity (H₂O-1) : 1.1
Evaporation Rate: (BuAct=1): 1
V.O.C.
Appearance and Odor: Green colored semi viscous paint

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water spray, foam, carbon dioxide, dry chemical
Fire Fighting Procedures: Firefighters wear self-contained breathing apparatus and full protective gear.
Unusual Fire and Explosion Hazards: Product may splatter if temperatures exceed boiling point. Polymer films are capable of burning, giving off oxides of carbon and hydrogen cyanide.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid): NA
Hazardous Decomposition of Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Continued on back

Createx Colors - 14 Airport Park Road, East Granby, CT 06026
800.243.2712 phone 860.653.0643 fax

HEALTH INFORMATION

Primary Route of Exposure:			
Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:			
IARC: no	NTP: no	OSHA: no	
Signs and Symptoms of Exposure:			
none found			
Medical Conditions Generally Aggravated by Exposure:			
none found			
Emergency and First Aid Procedures:			
<u>Eye Contact:</u> Flush with water for 15 minutes and consult physician if irritation persists.			
<u>Skin Contact:</u> Wash well with water.			
<u>Ingestion:</u> If victim is conscious, give 2 glasses of water. DO NOT INDUCE VOMITING. Call physician.			

SPECIAL PROTECTION DATA

Respiratory Protection:
No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.
Ventilation:
Always use with adequate ventilation.
Protective Gloves:
Use rubber gloves if handling.
Other Protective Clothing:
No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking and smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill:
Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling:
Keep container closed when not in use.
Waste Disposal Method:
Sanitary landfill in accordance with local, state and federal regulations.
Other Precautions:
none

MATERIAL SAFETY DATA SHEET



PRODUCT IDENTIFICATION

Revision Date: 10/01/08

IDENTITY (As used on label)		Synonyms:
Monotype Base Item # 3100		
Chemical Family:	Formula	
mixture	Mixture of acrylic copolymers.	

HAZARDOUS INGREDIENTS

COMPONENT	CAS#	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-4236 Standards			

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling/Melting Point: 200°-215° F
Solubility in Water: water expendable
Vapor Pressure (mm Hg): NA
Vapor Density: 1
Specific Gravity (H₂O-1): 1.1
Evaporation Rate: (BuAct=1): 1
V.O.C.
Appearance and Odor: Light to Clear appearance, slight odor

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water spray, foam, carbon dioxide, dry chemical
Fire Fighting Procedures: Firefighters wear self-contained breathing apparatus and full protective gear.
Unusual Fire and Explosion Hazards: Product may splatter if temperatures exceed boiling point. Polymer films are capable of burning, giving off oxides of carbon and hydrogen cyanide.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid): NA
Hazardous Decomposition of Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Continued on back

Createx Colors - 14 Airport Park Road, East Granby, CT 06026
800.243.2712 phone 860.653.0643 fax
HEALTH INFORMATION

Primary Route of Exposure: Inhalation: Skin: X Ingestion: Eyes:
Carcinogen: IARC: no NTP: no OSHA: no
Signs and Symptoms of Exposure: none found
Medical Conditions Generally Aggravated by Exposure: none found
Emergency and First Aid Procedures: <u>Eye Contact:</u> Flush with water for 15 minutes and consult physician if irritation persists. <u>Skin Contact:</u> Wash well with water. <u>Ingestion:</u> If victim is conscious, give 2 glasses of water. DO NOT INDUCE VOMITING. Call physician.

SPECIAL PROTECTION DATA

Respiratory Protection: No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation.
Ventilation: Always use with adequate ventilation.
Protective Gloves: Use rubber gloves if handling.
Other Protective Clothing: No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking and smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill: Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling: Keep container closed when not in use.
Waste Disposal Method: Sanitary landfill in accordance with local, state and federal regulations.
Other Precautions: none