1040 Crown Pointe Pkwy. Suite 270, Atlanta, GA 30338 • (770) 392-8660 • Fax (770) 392-8670

SECTION I. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EPK KAOLIN

CHEMICAL NAME: Kaolinite (CAS No. 1332-58-7)

PRODUCER:

The Feldspar Corporation 1040 Crown Pointe Parkway, Suite 270 Atlanta, GA 30338 **TELEPHONE NUMBERS:**

(Emergency and Information) (770) 392-8660 8am - 5pm EST M-F (770) 392-8670 FAX

MSDS No. 9704 DATE PREPARED: November 1997

SECTION II. HAZARDOUS INGREDIENTS

Free Silica (Crystalline Quartz) Formula: SiO₂ Typically 0. 49 CAS No. 4808-60-7

Kaolin or kaolinite is a naturally occuring hydrous aluminum silicate mineral ormula H4Al2Si2O9; SiO2

SECTION III PHYSICAL DATA

BOILING POINT: Not Applicable VAPOR PRESSURE: Not Applicable SPECIFIC GRAVITY: 2.56

MELTING POINT: 740-1785°C SOLUBILITY IN WATER: Negligible PERCENT VOLATILE Not Applicable

ODOR AND APPEARANCE: Earthy smell when wet. White to light gray lumps; buff-colored powder

SECTION IV. FIRE AND EXPLOSION DATA: Non-flammable and non-explosive.

SECTION V. HEALTH HAZARD INFORMATION

OSHA PEL: CRYSTALLINE QUARTZ (Respirable) 0.1 mg/m³ (TWA-TLV) ACGIH TLV: CRYSTALLINE QUARTZ (Respirable) 0.1 mg/m³ (TWA-TLV)

NIOSH TWA: CRYSTALLINE QUARTZ (Respirable) 0.05 mg/m³

HAZARD BY ROUTES OF EXPOSURE

INHALATION: WARNING: These products contain crystalline silica. Repeated, prolonged inhalation of dust may cause delayed lung injury which may result in silicosis or pneumoconiosis. The International Agency For Research On Cancer in its publication, "IARC Monographs On The Evaluation Of The Carcinogenic Risk To Humans – Silica. Some Silicates. Coal Dust and Para-aramid Fibrils" –, Volume 68, 1997, has concluded that there is sufficient evidence for the carcinogenicity of crystalline silica in humans, and has, therefore, classified crystalline silica in Group 1, carcinogenic to humans. The National Toxicology Program's ("NTP's") Sixth Annual Report on Carcinogens, 1991, lists crystalline silica (respirable) as a substance which may reasonably be anticipated to be a carcinogen. In humans, a number of studies have found an association between lung cancer and exposure to dust containing respirable crystalline silica. In many of these studies, though not all, lung cancer risks were elevated and could not be explained by confounding factors such as cigarette smoking or arsenic or radon inhalation. While the IARC working group concluded there was sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or crystobalite, it noted that carcinogenicity in humans was not detected in all circumstances studied. NOTE: The State of California requires the following statement: "Airborne particles of respirable size of crystalline silica are known to the State of California to cause cancer."

INGESTION a may result fr

ntal ingestion. May

SECTION V. HEALTH HAZARD INFORMATION (Continued)

EYE: Inflammation of eye tissue may occur from overexposure.

SKIN CONTACT/ABSORPTION: Inflammation from contact with open cuts may occur.

SIGNS AND SYMPTOMS ASSOCIATED WITH EXPOSURE OVER THE TLV:

Short Term: Shortness of breath, coughing associated with inhalation of dust. Long Term: May cause silicosis, a chronic disease of the lungs marked by acute fibrosis; may cause cancer.

EMERGENCY/FIRST AID PROCEDURES:

INHALATION: Move to fresh air; consult physician and /or obtain competent medical assistance as necessary.

INGESTION: Consult physician and/or obtain competent medical assistance.

EYE CONTACT: Flush with water; consult physician and/or obtain competent medical assistance as necessary

SKIN CONTACT: Wash thoroughly with water.

SECTION VI. REACTIVITY DATA

STABILITY: Kaolin is a stable material under ordinary conditions.

INCOMPATIBILITY: None known.

HAZARDOUS POLYMERIZATION: Not known to occur.

SECTION VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:

If uncontaminated, recover and reuse. If contaminated, collect in suitable containers for disposal. Use appropriate method to avoid creating dust. Avoid breathing dust. Wear a NIOSH/MSHA/OSHA approved respirator.

<u>WASTE DISPOSAL METHOD</u>: May be buried in approved land disposal facility in accordance with Federal, State, and local regulations. Feldspar is not a hazardous waste under RCRA (40 CFR Part 261).

SECTION VIII. CONDITIONS FOR SAFE USE

<u>VENTILATION</u>: Local exhaust required for dust removal. Refer to OSHA 1910.24, ASTM, and/or ANSI Standards. Do not exceed OSHA PEL or ACGIH TLV.

RESPIRATORY PROTECTION: Use NIOSH/MSHA/OSHA approved respirator if dust is present.

EYE PROTECTION: Optional, but recommended. NIOSH recommends against wearing contact lenses when working with crystalline silica.

PROTECTIVE GLOVES: Optional, but recommended.

SECTION IX. SPECIAL PRECAUTIONS

- 1. Do not breathe dust.
- 2. Avoid creating dust in closed areas.
- 3. Use adequate ventilation as recommended by NIOSH/MSHA/OSHA for crystalline silica

SECTION X. OTHER RELATED INFORMATION

NPCA / CPMA HMIS Ratings: Health (2) Flammability (0) Reactivity (0) Personal Protection (E Kaolin is not hazardous under DO' Regulations.

Government regulations require that personnel working with crystalline silica receive appropriate training in sal work habits, respiratory protection and health risks.

The information and data contained herein are helieved to be accurate, but the manufacturer makes no warranty with respect thereto and discloims responsibility for reliance thereon. This data relates only to the specific material described herein, and does not relate to use in connection with any other materials or in any process.