

ChemCAS

WHOLESALE APPAREL SCREEN PRINTING
 WATERBASED • DISCHARGE • FOIL/METALLIC
 FORWARD PRINTING INC. >> FORWARDPRINTING.COM

[Ads by Google](#) [MSDS Sheet](#) [MSDS Sheets](#) [MSDS](#) [Chemical MSDS](#)

Search

GO

MSDS 250,000+

MSDS : ORANGE 3407/3507/3607/3707 SPEEDBALL INK
 CAS :
 NAME : non-hazardous for ients

[EMC Engineering Mgmt.](#)

Reduce Plant Downtime
 w/Engineering Mgmt. For
 Energy. Free IDC Report.

www.emc.com/Engineering-Management

[Uv Curing Resin](#)

Specialty Adhesives &
 Coatings for
 Industrial/Technical Markets.

www.PrincetonKeynes.com AdChoices

Catalog of Chemical Suppliers, Buyers, Custom Synthesis Companies And Equipment Manufacturers
 [ORANGE 3407/3507/3607/3707 SPEEDBALL INK]

Suppliers:

Not Available

Buyers:

Not Available

[Screen Printing Software Free](#) designed for screen printers Free Demo www.ShopWorx.com

[GHS Training Course](#) Globally Harmonized System Training New public and private training! www.aarcherinstitute.com

[Data Sheet Integration](#) Mobile Firestop Management Software Rated Barrier Digital Documentation www.efi AdChoices

===== Product Identification =====

MSDS NAME:ORANGE 3407/3507/3607/3707 SPEEDBALL INK
 NIIN:00F006744
 MSDS Number: BBWKH
 === Responsible Party ===
 Company:HUNT MFG CO/STATESVILLE, NC 28677
 Emergency Phone Num:(704) 872-9511
 CAGE:F0225
 === Contractor Identification ===
 Company:HUNT MANUFACTURING CO.
 Address:SPEEDBALL RD
 Box:City:STATESVILLE
 State:NC
 ZIP:28677
 Phone:704-872-9511
 CAGE:08287
 Company:HUNT MFG CO/STATESVILLE, NC 18677
 CAGE:F0225

===== Composition/Information on Ingredients =====

Name:NON-HAZARDOUS FOR INGREDIENTS
 Fraction by Wt: 100%

=====
 Hazards Identification
 =====

Effects of Overexposure:NONE

=====
 First Aid Measures
 =====

First Aid:EYE/SKIN: FLUSH WITH WATER.

=====
 Fire Fighting Measures
 =====

Unusual Fire/Explosion Hazard:MATERIAL MAY SPATTER IF TEMPERATURE EXCEEDS BOILING POINT.

=====
 Accidental Release Measures
 =====

Spill Release Procedures:MOP UP OR ABSORB ON INERT MATERIAL AND PLACE INTO CONTAINERS. MAY BE SLIPPERY; WILL AVE A FILM ON DRYING.

=====
 Exposure Controls/Personal Protection
 =====

Respiratory Protection:NONE
 Ventilation:ADEQUATE VENTILATION RECOMMENDED
 Supplemental Safety and Health
 MSDS DATE: 12/1/82. WT PER GAL: 12.8

=====
 Physical/Chemical Properties
 =====

Boiling Pt:B.P. Text:212-369F
 Vapor Density:>AIR
 Evaporation Rate & Reference:SLOWER THAN ETHER
 Percent Volatiles by Volume:45%

=====
 Stability and Reactivity Data
 =====

Stability Indicator/Materials to Avoid:YES
 Hazardous Decomposition Products:NONE

=====
 Disposal Considerations
 =====

Waste Disposal Methods:LANDFILL ACCORDING TO FEDERAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
 This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

*** END OF RECORD ***

Search More



ALL PAGES On Chemical Property IN THIS GROUP

NAME

[B59 S 8 SILVER-BRITE ALUMINUM PAINT](#)

[CELITE 501, 503, 522, 596, 597. P/N 9061](#)

[GALLIC ACID POWDER](#)

[STARCH POWDER ARROWROOT](#)

[THROMBOSCREEN THROMBOPLASTIN, 176099](#)

[ML-90S](#)

CAS

64742-47-8

1330-20-7

64742-95-6

14464-46-1

149-91-7

9005-25-8

26628-22-8

ELECTROGRAPHIC PAPER	
ROCKWELL 555 SEALANT (BULK GRADE)	108-32-7
PA2 FLEXIBLE FOAM ADHESIVE	74-87-3
B59 S2 SILVER-BRITE ALUMINUM PAINT	64742-47-8 1330-20-7 64742-94-5 7789-06-2 7440-47-3
ASBESTOS-FREE CEMENT BOARD	65997-15-1 1317-65-3 9004-34-6
UNI-TILE SEALER PART A	1330-20-7 108-10-1 67-63-0
TAPE HEAD CLEANER, TUCO2	76-13-1
SILICONE FUSER OIL, LPS4X-AC	
FORMULA 291	1310-73-2
TONER (RICOH LP H-1 TONER) LPS4X-AA, PART	1333-86-4
DEVELOPER (RICOH LP H-1 DEVELOPER), PART B	1317-60-8 1314-13-2 1333-86-4
MITEE CLEAR THREAD CUTTING OIL	8012-95-1
VIDEO SCREEN CLEANER VT1XX-KF	7732-18-5 34590-94-8 1336-21-6
RP 4026 RESIN	7429-90-5 1302-78-9 2425-79-8
RP 4005 RESIN	2425-79-8
RP 4036 RESIN	7429-90-5 1317-65-3 2425-79-8 21645-51-2 25068-38-6 28064-14-4 1675-54-3
HALOCARBON 4.2S OIL	
RP 6403 HARDENER	120-07-0
RP 6403 RESIN, PART B	61788-32-7
RP 6413 RESIN, PART A	5124-30-1 4098-71-9
RP 6413 HARDENER, PART B	101-77-9
BLACK & WHITE INDICATING STOP BATH	
NON-SKID PAINT, 7-1182	1330-20-7 108-88-3 8030-30-6
HARD LEAD, ANTIMONIAL OR ARSENICAL ALLOY	7439-92-1 7440-36-0 7440-38-2 7440-31-5
PUROLITE C-100 S ION EXCHANGE RESIN	
AMMONIUM BIFLUORIDE, 418-002-03	1341-49-7
COATING-CLEAR WATER REPELLENT	
EPOXY RESIN, #642-644	
BUFFER SOLUTIONS PH 4.0-4.5/PH 4.36/PH 4.0	7732-18-5 50-00-0 64-19-7
SPEEDBALL, BLACK 4560, 4600, 4610	
TRANSPARENT-EXTENDER BASE 4532, 4572, 4578	
BLUE 4542, 4582, 4592 SPEEDBALL INK	
BLACK 3400, 3500, 3600 & 3700	
YELLOW 3405/3505/3605/3705 SPEEDBALL INK	

[ORANGE 3407/3507/3607/3707 SPEEDBALL INK](#)
[GREEN 3404/3504/3604/3704 SPEEDBALL INK](#)
[RED 3401/3501/3601/3701 SPEEDBALL INK](#)
[VINYL ATHLETIC COATING](#)

108-88-3
78-93-3
75-09-2
8030-30-6
75-28-5
74-98-6

[DICK BLICK ADHESIVE, L61 119](#)

[WHITE 3403/3503/3603/3703 SPEEDBALL INK](#)
[SCULP-METAL MODELING METAL](#)
[RP 6422 RESIN](#)

78-93-3
5124-30-1
101-68-8
101-77-9
84-74-2
110-63-4

[RP 6422 HARDENER](#)

[RP 6402 HARDENER](#)

Free MSDS Search (Providing 250, 000+ Material Properties)
Chemcas Copyright Reserved
Last modified: 08/01/2012 13:59:28