

TA-0202

Date Printed: 03/10/95

Page 1 of 6

MATERIAL SAFETY DATA SHEET**SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****COMPANY INFORMATION**

TEC Incorporated
 H.B. Fuller Company Subsidiary
 315 South Hicks Road
 Palatine, Il 60067
 Phone: 1-708-358-9500
 Fax: 1-708-358-9510

MSDS INFORMATION

Preparation Date: 03/10/95
 Supersedes: None
 Prepared By: Industrial Hygiene
 Phone Number: 612-481-4842

Medical Emergency Phone Number: 1-800-228-5635 ext 018
 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

PRODUCT INFORMATION

Product Name/Number: TA-0202, SEAL & FINISH
 Product Description (product use): ACRYLIC SEALER

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Unlisted ingredients are not 'hazardous' per the OSHA standard and/or are not found on the WHMIS ingredient disclosure list.

Chemical/CAS Number	Percent	OSHA PEL	ACGIH TLV
Diethylene glycol monoethyl ether (111-90-0) 2-(2-ethoxyethoxy)-ethanol LD50: 5500 mg/kg (oral, rat) LC50: No data found Vapor pressure, in mm Hg @ 25 C: 0.13	1-5%	Not estab.	Not estab.

See Section 16 for additional information.

SECTION 3: HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

No specific warnings for normal use conditions.

POTENTIAL HEALTH EFFECTS

Eyes: Eye contact with liquid product may cause irritation.

Skin: Prolonged or repeated contact with liquid product may cause irritation.

Inhalation: Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat and respiratory tract.

TA-0202

Date Printed: 03/10/95

Page 2 of 6

Ingestion: Not an anticipated route of exposure. Small amounts are not anticipated to be harmful.

Chronic: No anticipated chronic effects.

REGULATED CARCINOGEN STATUS:

This product does not contain regulated levels of NTP, IARC, ACGIH or OSHA listed carcinogens.

Existing Health Conditions Affected by Exposure: No known effects on other illnesses.

SECTION 4: FIRST AID MEASURES

If in eye: Flush immediately with water for 15 minutes. Consult a physician if irritation persists.

If on skin: Wash affected area with soap and water. Launder contaminated clothing before reuse.

If vapors inhaled: Remove subject to fresh air.

If ingested: If person can swallow, give one glass of water or milk. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point/Method: Non-flammable

Upper Explosive Limit/Lower Explosive Limit: Not applicable

Autoignition Temperature: Not applicable

Appropriate Extinguishers: Non-flammable in liquid state; use water spray, foam, dry chemical or carbon dioxide on dried product.

Special Fire Fighting Procedures: Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.

Unusual Fire and Explosion Hazards: There is the possibility of pressure buildup in closed containers when heated. Water spray may be used to cool the containers.

Hazardous Combustion Product: Incomplete combustion can yield low molecular weight hydrocarbons, carbon monoxide

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds or water systems.

TA-0202

Date Printed: 03/10/95

Page 3 of 6

SECTION 7: HANDLING AND STORAGE**HANDLING INFORMATION**

Wear appropriate protective equipment when working with this product.

STORAGE INFORMATION

Avoid temperature extremes in storage.

Consult the Technical Data Sheet for specific storage instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear safety glasses to reduce the potential for eye contact; chemical safety goggles are appropriate if splashing is likely. Have eye washes available where eye contact can occur.

Skin Protection: Prevent prolonged or repeated contact by using rubber gloves and appropriate protective clothing. Launder contaminated clothing before reuse.

Respiratory Protection: Not normally required. Use NIOSH/MSHA approved respirator if conditions warrant.

Ventilation: General dilution ventilation.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	LIQUID
Color:	MILKY WHITE
Odor:	MILD ACRYLIC
Odor Threshold:	Not established
Specific Gravity:	1.019
pH:	Not established
Boiling Range:	Greater than 200 F (93 C)
Freezing/Melting Point:	Not established
Vapor Pressure:	Not established
Vapor Density:	Not established
Evaporation Rate:	Not established
Water/Oil Partition Coefficient:	Not established

SECTION 10: STABILITY AND REACTIVITY DATA

Stability: Stable

Incompatibility: Not established

Hazardous Decomposition: Not established

Hazardous Polymerization: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

No data available

TA-0202

Date Printed: 03/10/95

Page 4 of 6

SECTION 12: ECOLOGICAL INFORMATION

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14: TRANSPORTATION INFORMATION

UNITED STATES DEPARTMENT OF TRANSPORTATION (DOT)

DOT Proper Shipping Name: NOT REGULATED

It is our opinion that the information provided here may be used to transport this product in compliance with Canadian Transportation of Dangerous Goods.

SECTION 15: REGULATORY INFORMATION**FEDERAL**

Toxic Substances Control Act (TSCA)

Section 8(b) - Inventory Status

All components of this product are registered under the regulations of the Toxic Substances Control Act.

Section 12(b) - Export Notice Requirements

This product contains a chemical substance that is currently on the EPA's Section 12(b) Export List. Within seven days of entering into a contract to export and certainly no later than the day of export, the agent of export must notify the EPA of their intent.

Contact the H.B. Fuller TSCA Compliance Manager at 612/481-4816 for the identity of the Section 12(b) chemical(s).