

KRYLON -- WEEKEND SPRAY ENAMEL-1, 353 -- 8010-00N080036

=====
MSDS Safety Information
=====

FSC: 8010
MSDS Date: 05/01/1992
MSDS Num: CFPVD
LIIN: 00N080036
Tech Review: 10/27/1997
Product ID: WEEKEND SPRAY ENAMEL-1, 353
Responsible Party
Cage: GO216
Name: KRYLON
Address: 6830 COCHRAN RD
City: SOLON OH 44139 US
Info Phone Number: 800-247-3266
Emergency Phone Number: 216-292-7400
Review Ind: N

=====
Contractor Summary
=====

Cage: GO216
Name: KRYLON
Address: 6830 COCHRAN RD
City: SOLON OH 44139-3908 US
Phone: 216-292-7400/800-832-2541
Cage: 09800
Name: SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.
Address: 26300 FARGO AVENUE
City: BEDFORD HEIGHTS OH 44146 US
Phone: 216-292-7400 OR 216-595-8634

=====
Ingredients
=====

Cas: 74-98-6
RTECS #: TX2275000
Name: PROPANE (PROPELLANT). VP:760
% by Wt: 14
OSHA PEL: 1000 PPM
ACGIH TLV: ASPHYXIAN
Ozone Depleting Chemical: N

Cas: 75-28-5
RTECS #: TZ4300000
Name: PROPANE, 2-METHYL-; (2-METHYLPROPANE (PROPELLANT)). VP:760
% by Wt: 14
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
Ozone Depleting Chemical: N

Cas: 108-88-3
RTECS #: XS5250000
Name: TOLUENE (SARA 313) (CERCLA). VP:22
% by Wt: 12
OSHA PEL: 200 PPM; Z-2
ACGIH TLV: S, 50 PPM
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS
Ozone Depleting Chemical: N

Cas: 1330-20-7
 RTECS #: ZE2100000
 Name: XYLENE (SARA 313) (CERCLA). VP:5.9
 % by Wt: 9
 OSHA PEL: 25 PPM
 ACGIH TLV: 25 PPM
 EPA Rpt Qty: 1000 LBS
 DOT Rpt Qty: 1000 LBS
 Ozone Depleting Chemical: N

 Cas: 67-64-1
 RTECS #: AL3150000
 Name: ACETONE (SARA 313) (CERCLA)
 % by Wt: 35
 OSHA PEL: N/K (FP N)
 ACGIH TLV: N/K (FP N)
 EPA Rpt Qty: 5000 LBS
 DOT Rpt Qty: 5000 LBS
 Ozone Depleting Chemical: N

 Cas: 763-69-9
 RTECS #: UF3325000
 Name: PROPIONIC ACID, 3-ETHOXY-, ETHYL ESTER; (ETHYL-3-ETHOXYPROPIONATE).
 VP:1.1
 % by Wt: 4
 OSHA PEL: N/K (FP N)
 ACGIH TLV: N/K (FP N)
 Ozone Depleting Chemical: N

 Name: VOLATILE ORGANIC COMPOUND AS PERCENT BY WT EXCLUDING FEDERALLY
 EXEMPT SOLVENTS: 878
 OSHA PEL: N/K (FP N)
 ACGIH TLV: N/K (FP N)

 Name: SUPDAT:TO BURST. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF
 CHILDREN. INTENTIONAL MISUSE BY DELIB CONC & (ING 9)

 Name: ING 8:INHALING CONTENTS CAN BE HARMFUL/FATAL. USE ONLY W/ADEQ VENT.
 AVOID BRTHG VAP & SPRAY MIST. AVOID CONT W/ (ING 10)

 Name: ING 9:SKIN & EYES. COATING MAY CONTAIN MATLS CLASSIFIED AS NUISANCE
 PARTICULATES (LISTED "AS DUST") IN INGREDIENTS (ING 11)

 Name: ING 10:SECTION WHICH MAY BE PRESENT @ HAZ LEVELS ONLY DURING
 SANDING/ABRADING OF DUST FILM. IF NO SPECIFIC DUSTS (ING 12)

 Name: ING 11:ARE LISTED IN INGS, APPLIC LIMS FOR NUISANCE DUSTS ARE ACGIH
 TLV 10 MG/M3 (TOTAL DUST), OSHA PEL 15 MG/M3 (ING 13)

 Name: ING 12:(TOTAL DUST), 5 MG/M3 (RESP FRACTION).

 Name: RESP PROT:WHICH MAY BE GENERATED FROM PRODUCT, UNDERLYING PAINT OR
 ABRASIVE.

 Name: VENT:1910.94, 1910.107, 1910.108.

=====
 Health Hazards Data
 =====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
 Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE:IRRIT OF EYES, SKIN & RESP SYS. MAY CAUSE NERV
SYS DEPRESS. EXTREME OVEREXP MAY RSLT IN UNCON & POSSIBLY DEATH. SIGNS &
SYMPS OF OVEEREXP:HDCH, DIZZ, NAUSEA, & LOSS OF COORDINATION ARE
INDICATIO NS OF EXCESS EXPOS TO VAPS/SPRAY MISTS.REDNES &
ITCHING/BURNING SENSATION MAY INDICATE EYE/EXCESS(EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptions Of Overexposure: HLTH HAZ:SKIN EXPOS. TOLUENE APPEARS
ON NAVY LISTING OF OCCUP CHEM REPROD HAZS. SEEK CONSULTATION FROM APPROP
HLTH PROFESSIONALS CONCERNING LATEST HAZ LIST INFO & SAFE HNDLG & EXPOS
INFO (FP N). CHRON IC:PRLNGD OVEREXP TO SOLV INGREGS MAY CAUSE ADVERSE
EFTS TO LIVER, URINARY, BLOOD FORMING, CARDIOVASCULAR & (SUPDAT)

Medical Cond Aggravated By Exposure: NONE GENERALLY RECOGNIZED.

First Aid: INHAL:REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM &
QUIET. SKIN:WASH AFFECTED AREA THOROUGHLY W/SOAP & WATER. REMOVE
CONTAMINATED CLOTHING & LAUNDER BEFORE RE-USE. EYES:FLUSH W/LARGE
AMOUNTS OF WATER FOR @ LST 15 MINUTES. GET MEDICAL ATTENTION.
INGEST:SEEK MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. VENTILATE AND
REMOVE WITH INERT ABSORBENT.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: WASTE FROM PROD MAY BE HAZ AS DEFINED UNDER RCRA
40 CFR 261. WASTE MUST BE TESTED FOR IGNITABILITY TO DETERM APPLIC EPA
HAZ WASTE NUMBERS. DO NOT INCIN. DEPRESSURIZE CNTNR. DISPOSE OF I/A/W
FEDERAL, S TATE, & LOC REGS REGARDING POLLUTION.

Handling And Storage Precautions: CONTENTS ARE EXTREMELY FLAMM. KEEP AWAY
FROM HEAT, SPKS, & OPEN FLAME. VAPS WILL ACCUM READILY & MAY IGNITE
EXPLO. CONSULT NFPA CODE.

Other Precautions: DURING USE & UNTIL ALL VAPS ARE GONE: KEEP AREA
VENTILATED-DO NOT SMOKE-EXTING ALL FLAMES, PILOT LIGHTS, & HEATERS-TURN
OFF STOVES, ELEC TOOLS & APPLIANCES & ANY OTHER SOURCES OF IGNIT.
CONTENTS UNDER PRESS. DO NOT PUNCTURE, INCIN, (SUPDAT)

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: PMCC

Flash Point Text: <0F,<-18C

Lower Limits: 1.0%

Upper Limits: 12.8%

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: NIOSH APPRVD SCBA & FULL PROT EQUIP (FP N).
WATER SPRAY MAY BE INEFTIVE. IF WATER IS USED, FOG NOZZ ARE PREF. WATER
MAY BE USED TO COOL CNTNRS TO PVNT (SUPDAT)

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS MAY EXPLODE (DUE TO
BUILD-UP OF PRESSURE) WHEN EXPOSED TO EXTREME HEAT.

=====
Control Measures
=====

Respiratory Protection: IF PERSONAL EXPOS CANNOT BE CONTROLLED BELOW
APPLIC LIMITS BY VENT, WEAR PROPERLY FITTED ORG VAP/PARTICULATE RESP
APPRVD BY NIOSH FOR PROT AGAINST MATLS. WHEN SANDING/ABRADING DRIED
FILM, WEAR DUST/MI ST RESP APPRVD NIOSH FOR DUST(ING 14)

Ventilation: LOC EXHAUST PREF. GEN EXHAUST ACCEPTABLE IF EXPOS IS

MAINTAINED BELOW APPLIC EXPOS LIMITS. REFER TO OSHA STDS (ING 15)
 Protective Gloves: IMERVIOUS GLOVES (FP N).
 Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).
 Other Protective Equipment: ANSI APPRVD EYE WASH & DELUGE SHOWER (FP N).
 Work Hygienic Practices: WASH HANDS AFTER USING.
 Supplemental Safety and Health: FIRE FIGHT PROC:PRESS BUILD-UP & POSS
 AUTOIGNIT/EXPLO WHEN EXPOSED TO EXTREME HEAT. EFTS OF OVEREXP:REPROD
 SYS. RPTS HAVE ASSOC RPTD & PRLNGD OVEREXP TO SOLVS W/PERM BRAIN & NERV
 SYS DMG. OTHER PREC:O R EXPOSE TO TEMP >120F. HEAT FROM SUNLIGHT,
 RADIATORS, STOVES, HOT WATER, & OTHER HEAT SOURCES COULD CAUSE CNTNR
 (ING 8)

=====

Physical/Chemical Properties

=====

B.P. Text: <0F,<-18C
 Vapor Pres: SEE INGS
 Vapor Density: HVR/AIR
 Evaporation Rate & Reference: FASTER THAN ETHER
 Appearance and Odor: NONE SPECIFIED BY MANUFACTURER.

=====

Reactivity Data

=====

Stability Indicator: YES
 Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
 Materials To Avoid: NONE KNOWN.
 Hazardous Decomposition Products: BY FIRE: CARBON DIOXIDE, CARBON
 MONOXIDE, OXIDES OF METALS IN INGREDIENT SECTION.
 Hazardous Polymerization Indicator: NO
 Conditions To Avoid Polymerization: NOT RELEVANT.

=====

Toxicological Information

=====

Ecological Information

=====

MSDS Transport Information

=====

Regulatory Information

=====

Other Information

=====

HAZCOM Label

=====

Product ID: WEEKEND SPRAY ENAMEL-1, 353
 Cage: GO216
 Company Name: KRYLON
 Street: 6830 COCHRAN RD
 City: SOLON OH
 Zipcode: 44139-3908 US
 Health Emergency Phone: 216-292-7400
 Date Of Label Review: 10/27/1997
 Label Date: 10/27/1997
 Chronic Hazard IND: Y
 Eye Protection IND: YES
 Skin Protection IND: YES
 Signal Word: DANGER

Respiratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Moderate

Fire Hazard: Severe

Reactivity Hazard: None

Hazard And Precautions: FLAMMABLE. ACUTE:IRRIT OF EYES, SKIN & RESP SYS.

MAY CAUSE NERV SYS DEPRESS. EXTREME OVEREXP MAY RSLT IN UNCON & POSSIBLY DEATH. SIGNS & SYMPS OF OVEEREXP:HDCH, DIZZ, NAUSEA, & LOSS OF COORDINATION AR E INDICATIONS OF EXCESS EXPOS TO VAPS/SPRAY MISTS. REDNESS & ITCHING/BURNING SENSATION MAY INDICATE EYE/EXCESS SKIN EXPOS. CHRONIC:TOLUENE APPEARS ON NAVY LISTING OF OCCUP CHEM REPROD HAZARDS (FP N). PRLNGD OVEREXP TO SOLV MAY CAUSE ADVERSE EFTS TO LIVER, URINARY, BLOOD-FORMING,CARDIOVASCULAR, & REPROD SYS. RPTS HAVE ASSOC RPTD & PRLNGD OVEREXP TO SOLVS W/PERM BRAIN & NERV SYSTEM DAMAGE.

=====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.