

MCCLOSKEY CORP -- HEIRLOOM SEMI-GLOSS VOC, 6702 -- 8010-00N021890

===== Product Identification =====

Product ID:HEIRLOOM SEMI-GLOSS VOC, 6702

MSDS Date:10/18/1988

FSC:8010

NIIN:00N021890

MSDS Number: BLXYM

=== Responsible Party ===

Company Name:MCCLOSKEY CORP

Address:5501 E SLAUSON AVE

City:LOS ANGELES

State:CA

ZIP:90040

Country:US

Info Phone Num:800-345-4530

Emergency Phone Num:213-726-7272

CAGE:MCCL0

=== Contractor Identification ===

Company Name:MCCLOSKEY CORP

Address:5501 E SLAUSON AVE

Box:City:LOS ANGELES

State:CA

ZIP:90040

Country:US

Phone:800-345-4530

CAGE:MCCL0

===== Composition/Information on Ingredients =====

Ingred Name:INGRED 10: BEFORE EMESIS, GASTRIC LAVAGE USING A CUFFED
ENDOTRACHEAL TUBE SHD BE CONSIDERED.

RTECS #:9999999ZZ

Ingred Name:SPILL PROC: ABSORB SUCH AS CLAY, SAND, OR OTHER SUITABLE
MATL; PLACE IN NON-LEAKING CNTNRS & SEAL TIGHTLY FOR (ING 13)

RTECS #:9999999ZZ

Ingred Name:INGRED 12: PROPER DISP. FLUSH AREA W/H*20 TO REMOVE TRACE
RESIDUE; DISP OF FLUSH SOLN AS ABOVE. SMALL SPILLS: (ING 14)

RTECS #:9999999ZZ

Ingred Name:INGRED 13: TAKE UP W/ABSORB MATL & PLACE IN NON-LEAKING
CNTNRS FOR PROPER DISP.

RTECS #:9999999ZZ

Ingred Name:WASTE DISP METH: INTO/LEADING TO SURF H*20 THAT CAUSE SHEEN
MUST BE REPORTED TO NATIONAL RESPONSE CENTER, 800- (ING 16)

RTECS #:9999999ZZ

Ingred Name:INGRED 15: 424-8802. EPA-CERCLA. UNDER EPA-CERCLA
(SUPERFUND) RELS TO AIR, LAND, OR H*20 MAY BE REPORTABLE TO (ING
17)

RTECS #:9999999ZZ

Ingred Name:ING 16:NATIONAL RESPONSE CENTER,800-424-8802.(CIRCUMSTANCES
SURROUNDING RELS & CLEANUP DETERMINE REPORTABILITY).(ING 18)

RTECS #:9999999ZZ

Inged Name:OTHER PREC: USE ADEQ VENT. CNTNRS, EVEN THOSE THAT HAVE
BEEN EMPTIED, CAN CONT EXPLO VAPS. DO NOT CUT, DRILL, (ING 19)
RTECS #:9999999ZZ

Inged Name:INGRED 18: GRIND, WELD/PERFORM SIMILAR OPERATIONS ON/NEAR
CNTNRS. STATIC ELEC MAY ACCUMULAT & CREATE FIRE HAZ. (ING 20)
RTECS #:9999999ZZ

Inged Name:INGRED 19: GROUND FIXED EQUIPMENT. BOND & GROUND TRANSFER
CONTAINERS AND EQUIPMENT.
RTECS #:9999999ZZ

Inged Name:ING 9: KEEP VICTIMS HEAD BELOW HIPS TO PVNT ASPIR. IF SYMP
SUCH AS LOSS OF GAG REFLEX, CONVULSIONS/UNCON OCCUR (ING 11)
RTECS #:9999999ZZ

Inged Name:STODDARD SOLVENT. VP: 2.0. LEL: 1.0%
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 34.3%
OSHA PEL:500 PPM
ACGIH TLV:100 PPM; 9293

Inged Name:XYLENE. VP: 6.0. LEL: 1.0%
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 2.0%
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150 STEL
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Inged Name:SUPP DATA: NAPHTHA, SHOWED EVIDENCE OF KIDNEY DAMAGE.
RELEVANCE OF EFT TO MAN IS UNKNOWN. IN ONE OF STUDIES A (ING 4)
RTECS #:9999999ZZ

Inged Name:INGRED 3: LOW GRADE OF ANEMIA WAS ALSO OBSERVED. RATS EXP
FOR 4 MONTHS TO 1700 PPM OF SOLV SIMILAR TO AROMATIC (ING 5)
RTECS #:9999999ZZ

Inged Name:INGRED 4: NAPHTHA SHOWED EVIDENCE OF MILD DAMAGE TO LIVER,
LUNGS & KIDNEYS. EFTS WERE NOT SEEN IN RATS EXP FOR 1 (ING 6)
RTECS #:9999999ZZ

Inged Name:ING 5: YEAR TO 350 PPM OF ANOTHER SIMILAR SOLV. RATS EXP TO
VAPS OF SIMILAR SOLV DURING PREGNANCY SHOWED EMBRYO/ (ING 7)
RTECS #:9999999ZZ

Inged Name:INGRED 6: FETOTOXICITY AT CONCENTRATIONS PRODUCING
MATERNAL TOXICITY.
RTECS #:9999999ZZ

Inged Name:FIRST AID PROC:OCCURS SPONT KEEP HEAD BELOW HIPS TO PVNT
ASPIR OF LIQ INTO LUNGS. GET MED ATTN. NOTE TO PHYS: IF (ING 9)
RTECS #:9999999ZZ

Inged Name:INGRED 8: MORE THAN 2.0 ML PER KG HAS BEEN INGEST & VOMIT
HAS NOT OCCURED, EMESIS SHD BE INDUCED W/SUPERVISION. (ING 10)
RTECS #:9999999ZZ

=====
 ===== Hazards Identification =====
 =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
 Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
 Health Hazards Acute and Chronic:EYE: LIQ IS MIN IRRIT TO EYES. HIGH
 VAP CONC MAY CAUSE IRRIT. SKIN: LIQ IS SLIGHTLY IRRIT TO SKIN.
 PRLNGD/RPTD LIQ CONT CAN RSLT IN DEFAT & DRYING OF SKIN WHICH MAY
 RSLT IN SKIN IRRIT & DERM. INHAL: V APS MAY BE IRRIT TO NOSE,
 THROAT & RESPTRACT. HIGH VAP CONC MAY CAUSE CNS DEPRESSION. INGEST:
 (SEE EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ: INGEST OF PROD MAY RSLT IN VOMIT;
 ASPIR (BRTHG) OF VOMITUS INTO LUNGS MUST BE AVOIDED AS EVEN SMALL
 QTYS MAY RSLT IN ASPIR PNEUM. SIGNS & SYMP: IRRIT AS NOTED ABOVE.
 EARLY TO MODERATE CNS DE PRESSION MAY BE EVIDENCED BY
 GIDDINESS,HDCH, DIZZ & NAUS; IN EXTREME CASES, UNCON & DEATH MAY
 OCCUR. ASPIR (SUP DAT)

Medical Cond Aggravated by Exposure:PREEXISTING EYE, SKIN AND
 RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS
 PRODUCT.

=====
 ===== First Aid Measures =====
 =====

First Aid:EYE: FLUSH EYES W/PLENTY OF H2O FOR AT LEAST 15 MIN WHILE
 HOLDING EYELIDS OPEN. GET MED ATTN. SKIN: REMOVE CONTAM
 CLTHG/SHOES. FLUSH SKIN W/H2O. FOLLOW BY WASHING W/SOAP & H2O. IF
 IRRIT OCCURS, GET ME D ATTN. DO NOT REUSE CLTHG UNTIL CLEANED.
 INHAL: REMOVE VICTIM TO FRESH AIR & PROVIDE O2 IF BRTHG IS DFCLT.
 GIVE ARTF RESP IF NOT BRTHG. GET MED ATTN. INGEST: DO NOT INDUCE
 VOMIT. IF VOMIT (ING 8)

=====
 ===== Fire Fighting Measures =====
 =====

Flash Point Method:TCC
 Flash Point:102F,39C
 Lower Limits:1.0%
 Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG.
 Fire Fighting Procedures:USE NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP .
 FULL STREAM H2O MAY BE STABLE AS EXTING METH, BUT IS HELPFUL IN
 KEEPING NEARBY CNTNRS COOL.AVOID (SUP DAT)
 Unusual Fire/Explosion Hazard:DO NOT APPLY TO HOT SURFS. KEEP AWAY FROM
 HEAT, SPARKS, OR OPEN FLAME. DO NOT STORE/MIX W/STRONG OXIDANTS.
 KEEP CNTNRS TIGHTLY CLSD. CNTNRS MAY EXPLO (SUP DAT)

=====
 ===== Accidental Release Measures =====
 =====

Spill Release Procedures:CAUTION. COMBUST. LRG SPILLS: ELIMINATE
 POTENTIAL SOURCES OF IGNIT. WEAR APPROP RESP & OTHER PROT CLTHG.
 SHUT OFF SOURCE OF LEAK ONLY IF SAFE TO DO SO. DIKE & CONT. REMOVE
 W/VACUUM TRUCKS/ PUMP TO STO RAGE/SALVAGE VESSELS. SOAK UP RESIDUE
 W/ (ING 12)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
 ===== Handling and Storage =====
 =====

Handling and Storage Precautions:KEEP LIQ & VAP AWAY FROM HEAT, SPARKS
 & FLAME. SURFS THAT ARE SUFFICIENTLY HOT MAY IGNITE LIQ PROD EVEN
 IN ABSENCE OF SPARKS OR FLAME.

Other Precautions:EXTING PILOT LIGHTS, CIGARETTES & TURN OFF OTHER SOURCES OF IGNIT PRIOR TO USE UNTIL ALL VAPS ARE GONE. VAPS MAY ACCUMULATE & TRAVEL TO IGNIT SOURCES DISTANT FROM HNDLG SITE; FLASH-FIRE CAN RSLT. KEEP CNTNRS CLSD WHEN NOT IN USE. (ING 18)

=====
 Exposure Controls/Personal Protection
 =====

Respiratory Protection:AVOID PRLNGD/RPTD BRTHG OF VAPS. IF EXPOS MAY/DOES EXCEED OCCUPATIONAL EXPOS LIMITS, USE A NIOSH/MSHA APPROVED RESP TO PVNT OVEREXP. IN ACCORD W/29 CFR 1910.134 USE EITHER AN ATMOSPHERE SUP RESP/AIR P URIFYING RESP FOR ORG VAPS.
 Ventilation:USE EXPLOSION-PROOF VENTILATION AS REQUIRED TO CONTROL VAP CONCENTRATIONS.
 Protective Gloves:CHEMICAL RESISTANT GLOVES.
 Eye Protection:CHEMICAL WORKERS GOGGLES .
 Other Protective Equipment:CHEMICAL RESISTANT CLOTHING.
 Work Hygienic Practices:AIR-DRY CONTAMINATED CLOTHING IN WELL VENTILATED AREA, THEN LAUNDER BEFORE REUSING.
 Supplemental Safety and Health
 FIRE FIGHT PROC: SPREADING LIQ W/H2O USED FOR COOLING PURPOSES. EXPLO HAZ: MAY EXPLO WHEN EXP TO EXTREME HEAT. EFTS OF OVEREXP: PNEUM MAY BE EVIDENCED BY COUGHING, LABORED BRTHG & CYANOSIS (BLUISH SKI N); IN SEV CASES DEATH MAY OCCUR. MALE RATS EXP FOR 90 DAYS BY INHAL TO VAPS OF SOLV SIMILAR TO ALIPHATIC (ING 3)

=====
 Physical/Chemical Properties
 =====

HCC:F4
 Boiling Pt:B.P. Text:280F,138C
 Vapor Density:>AIR
 Spec Gravity:0.96
 Evaporation Rate & Reference:<THAN ETHER
 Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
 Percent Volatiles by Volume:44.5

=====
 Stability and Reactivity Data
 =====

Stability Indicator/Materials to Avoid:YES
 STRONG OXIDIZING AGENTS.
 Stability Condition to Avoid:AVOID HEAT, FLAME.
 Hazardous Decomposition Products:CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

=====
 Disposal Considerations
 =====

Waste Disposal Methods:UNDER EPA-RCRA (40 CFR 261.21), IF PROD BECOMES WASTE MATL, IT WOULD BE IGNITABLE HAZ WASTE, HAZ WASTE # D001. REFER TO FEDERAL, STATE, & LOCAL REGS REGARDING PROPER DISP. UNDER EPA-CWA, PROD IS CLASS IFIED AS OIL UNDER SECTION 311. SPILLS (ING 15)

Disclaimer (provided with this information by the compiling agencies):
 This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.