## Material Safety Data Sheet Date last reviewed: January 1, 2008

	I. G	eneral Info	rmation	
Chemical Name & Synonyms		Trade Name & Synonyms		
Proprietary Blend		Peel Away 1		
Chemical Family		Formula		
Alkaline		Mixture		
Proper DOT Shipping Name		DOT Hazard Classification		
Containers 2.2 lbs. (1 kg) or smaller: ORM-D		Class 8, PGII (Corrosive Material)		
Containers greater than 2.2 lbs. (1 kg):	1000 <b>D</b> OU			
Sodium Hydroxide Solid Mixture, 8, UN	1823, PGII	Manufactu	rar'a Dhana Numbar	
Manufacturer  Dumond Chemicals, Inc.		Manufacturer's Phone Number		
Dumond Chemicals, Inc.		(212) 869-6350		
Manufacturer's Address 1501 Broadway, New York, NY 10036		Emergency Number: (800) 457-4280		
1501 Bloadway, New York, NY	10036	(000) 43	7-4200	
		II. Ingredie	ents	
Principal Hazardous Components	CAS#	Percent	PEL	TLV
Calcium Hydroxide	1305-62-0	21	5 mg/m <sup>3</sup> TWA	5 mg/m <sup>3</sup> TWA
<u> </u>			(respirable fraction)	
Magnesium Hydroxide	1309-42-8	16	None Established	None Established
Sodium Hydroxide	1310-73-2	9	2 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> Ceiling
Non-hazardous Ingredients	N/A	Balance	None Established	None Established
Poiling Point (°E)	II	I. Physical		
Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete	II	Specific G 1.33 Percent V 51.5 Evaporation	Data ravity (H <sub>2</sub> 0 =1)  colatile by Volume (%)  on Rate (Butyl Acetate = water	1)
Greater than 212 Vapor Pressure (mm Hg)  @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor	II	Specific G 1.33 Percent V 51.5 Evaporations same as pH	ravity (H <sub>2</sub> 0 =1)  platile by Volume (%)  on Rate (Butyl Acetate =	1)
Greater than 212 Vapor Pressure (mm Hg)  @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor	II	Specific G 1.33 Percent V 51.5 Evaporations same as pH	ravity (H <sub>2</sub> 0 =1)  platile by Volume (%)  on Rate (Butyl Acetate =	1)
Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor		Specific G 1.33 Percent V 51.5 Evaporations same as pH 13	ravity (H <sub>2</sub> 0 =1)  platile by Volume (%)  on Rate (Butyl Acetate =	1)
Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor White paste, no odor.		Specific G 1.33 Percent Vi 51.5 Evaporations same as pH 13 Explosion	ravity (H <sub>2</sub> 0 =1)  colatile by Volume (%)  on Rate (Butyl Acetate = water	1)
Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor White paste, no odor.		Specific G 1.33 Percent Vi 51.5 Evaporations same as pH 13 Explosion	ravity (H <sub>2</sub> 0 =1)  colatile by Volume (%)  on Rate (Butyl Acetate = water  Hazard Data	1)
Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor White paste, no odor.  Flash Point (Test Method None		Specific G 1.33 Percent V 51.5 Evaporation same as pH 13  Explosion Autoignitio	ravity (H <sub>2</sub> 0 =1)  colatile by Volume (%)  on Rate (Butyl Acetate = water  Hazard Data	1)
Greater than 212 Vapor Pressure (mm Hg)  @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor White paste, no odor.  Flash Point (Test Method None Flammable Limits		Specific G 1.33 Percent Vi 51.5 Evaporation same as pH 13  Explosion Autoignition None	ravity (H <sub>2</sub> 0 =1)  platile by Volume (%)  on Rate (Butyl Acetate = water  Hazard Data  n Temperature	1)
Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor White paste, no odor.  Flash Point (Test Method None Flammable Limits None		Specific G 1.33 Percent Vi 51.5 Evaporations same as pH 13  Explosion Autoignition None LEL	ravity (H <sub>2</sub> 0 =1)  colatile by Volume (%)  on Rate (Butyl Acetate = water  Hazard Data  n Temperature	1)
Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor White paste, no odor.  Flash Point (Test Method None Flammable Limits None Extinguishing Media This material is not combustible. Special Fire Fighting Procedures Wear full emergency equipment	IV. Fire &	Specific G 1.33 Percent Vi 51.5 Evaporations same as pH 13  Explosion Autoignition None LEL N/A	ravity (H <sub>2</sub> 0 =1)  colatile by Volume (%)  on Rate (Butyl Acetate = water  Hazard Data  n Temperature  UEL N/A  e for the surrounding	g fire.
Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor White paste, no odor.  Flash Point (Test Method None Flammable Limits None Extinguishing Media This material is not combustible. Special Fire Fighting Procedures Wear full emergency equipment water.	IV. Fire &	Specific G 1.33 Percent Vi 51.5 Evaporations same as pH 13  Explosion Autoignition None LEL N/A	ravity (H <sub>2</sub> 0 =1)  colatile by Volume (%)  on Rate (Butyl Acetate = water  Hazard Data  n Temperature  UEL N/A  e for the surrounding	g fire.
Boiling Point (°F) Greater than 212 Vapor Pressure (mm Hg) @ 20°C same as water Vapor Density (Air=1) same as water Solubility in Water Complete Appearance & Odor White paste, no odor.  Flash Point (Test Method None Flammable Limits None Extinguishing Media This material is not combustible. Special Fire Fighting Procedures Wear full emergency equipment water. Unusual Fire & Explosion Hazards At elevated temperatures contain be avoided.	IV. Fire &	Specific G 1.33 Percent Vi 51.5 Evaporations ame as pH 13  Explosion Autoignition None LEL N/A Appropriate approved	ravity (H <sub>2</sub> 0 =1)  colatile by Volume (%)  on Rate (Butyl Acetate = water  Hazard Data  n Temperature  UEL N/A  e for the surrounding  positive pressure SC	g fire.

## V. Health Hazard Data OSHA Permissible Exposure Limit ACGIH Threshold Limit Value See Section II See Section II Carcinogen - NTP Program Carcinogen - IARC Symptoms of Exposure Acute Effects: Eyes: May cause severe burns with possible permanent damage. Skin: May cause chemical burns with reddening and pain. Inhalation: May cause eye and respiratory irritation. Ingestion: May cause burns to mouth and gastrointestinal corrosion. Chronic Effects: Repeated skin contact with dilute solutions or mists may cause dermatitis. Medical Conditions Aggravated By Exposure: Individuals with chronic respiratory or skin diseases may be at risk from exposure. Primary Route(s) of Entry Eye, skin, ingestion **Emergency First Aid** Eye: Flush with water for 30 minutes. Get immediate medical attention. Skin: Flush thoroughly w/water for 15 minutes. Remove contaminated clothing. Get medical attention for irritation. Inhalation: Remove to fresh air. Get immediate medical attention. Ingestion: If conscious, give water or milk. Do not induce vomiting. Get immediate medical attention. IV. Reactivity Data Unstable Conditions to Avoid Stability Χ Stable N/A Incompatibility Acids, flammable liquids, organic halogens, nitromethane and metals such as aluminum, tin or zinc. Hazardous May Occur Conditions to Avoid Polymerization Will Not Occur N/A Hazardous Decomposition None known. VII. Environmental Protection Procedures Spill Response Wear appropriate protective clothing. Collect into closable containers. Wash spill area with water. Prevent runoff from entering sewers or waterways. Report spills as required. Waste Disposal Method Dispose of in accordance with all state, local and federal regulations. VIII. Special Protection Information Skin Protection Eye Protection Chemical safety goggles/Faceshield Rubber or neoprene gloves Respiratory Protection (Specific Type) Ventilation Recommended For spray application, wear a NIOSH approved dus None normally required. If exposure limits are exceeded, respirator & eve protection. local exhaust may be required. Other Protection Impervious apron, boots, safety shower, eye wash as needed. IX. Special Precautions Hygienic Practices in Handling & Storage Store in a cool, well ventilated area away from acids and other incompatible substances. Work Practices Prevent eye and skin contact. Do not breathe mists or aerosols. Other Precautions

Use only with appropriate protective equipment. Wash thoroughly after use.