

BLUE HOUSE COMPANY -- SAFER-SOLVE LOW ODOR ARTIST OIL PAINT SOLVENT --
8010-00F046909

=====
Product Identification
=====

Product ID:SAFER-SOLVE LOW ODOR ARTIST OIL PAINT SOLVENT

MSDS Date:11/16/1995

FSC:8010

NIIN:00F046909

MSDS Number: BYNSC

=== Responsible Party ===

Company Name:BLUE HOUSE COMPANY

Address:540 DEERING AVE

City:PORTLAND

State:ME

ZIP:04101-5000

Country:US

Info Phone Num:207-828-2555/800-876-8076

Emergency Phone Num:800-876-8076/207-828-2555

CAGE:G0512

=== Contractor Identification ===

Company Name:BLUE HOUSE COMPANY

Address:540 DEERING AVE

City:PORTLAND

State:ME

ZIP:04101-5000

Country:US

Phone:207-828-2555/800-876-8076

CAGE:G0512

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPRIETARY SOLVENTS

Fraction by Wt: <50%

Ingred Name:CARVENE; CYCLOHEXENE, 1-METHYL-4-(1-METHYLETHENYL), CITRUS
TERPENE, D-LIMONENE, P-MENTHADIENE

CAS:5989-27-5

RTECS #:GW6360000

Fraction by Wt: <25%

Ingred Name:POLYHYDRIC ALCOHOL

Fraction by Wt: <20%

Ingred Name:LINSEED OIL

CAS:8001-26-1

RTECS #:OI9690000

Fraction by Wt: <15%

ACGIH TLV:10 MG/CUM (MIST)

Ingred Name:PETROLEUM DISTILLATE

Fraction by Wt: <10%

Ingred Name:ESTER

Fraction by Wt: <10%

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:DON'T INHALE MIST. NOT MEANT TO BE
INGESTED. CNS EFFECTS NOT LIKELY BUT POSSIBLE UNDER EXCESSIVE
EXPOSURE CONDITIONS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:DRYNESS, PEELING/CRACKING OF SKIN.

=====
First Aid Measures
=====

First Aid:INGESTION: DON'T INDUCE VOMITING. GASTRIC LAVAGE MAY BE USED
FOR REMOVAL. MEDICAL JUDGEMENT REQUIRED FOR LAVAGE. OBTAIN MEDICAL
ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC

Flash Point:>150F

Lower Limits:>0

Upper Limits:<100

Extinguishing Media:WATER, FOAM, CO2/DRY CHEMICAL

Fire Fighting Procedures:NONE SPECIFICALLY RECOMMENDED.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE ABSORBENT & AVOID OPEN FLAMES IN AREA.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE ADEQUATE VENTILATION. PRODUCT IS A
MIXTURE OF ORGANIC COMPOUNDS W/LOW POTENTIAL FOR CHRONIC TOXICITY.

Other Precautions:KEEP OUT OF REACH OF CHILDREN/INCOMPETENT ADULTS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR

CARTRIDGE/SUPPLIED AIR RESPIRATOR IF VAPORS NEED TO BE CONTROLLED.

Ventilation:CROSS VENTILATION/LOCAL EXHAUST

Protective Gloves:RUBBER

Eye Protection:SPLASH SHIELD/CHEMICAL GOGGLES

Other Protective Equipment:SMOCK & RUBBER APRON.

Work Hygienic Practices:USE STANDARD ARTIST PRECAUTIONS FOR SOLVENTS.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Appearance and Odor:WATER LIKE YELLOWISH LIQUID W/MILD FRUITY ODOR.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

OXIDIZING CONDITIONS

Stability Condition to Avoid:EXCESSIVE HEAT

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF AS POTENTIALLY HAZARDOUS WASTE/AS
REGULATIONS MAY BE APPLICABLE TO A NON TOXIC PETROLEUM CONTAINING
SOLVENT. DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.