

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label) GLASS CLEANER (AEROSOL) Product Number: 6217	Product D Janitoria		
Spartan Chemical Company, Inc.	Product/Technical Information: 1-(800))-537-8990	
1110 Spartan Drive	Medical Emergency: 1-(888))-314-6171 (24 hours)	
Maumee OH 43537	Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)		
Shipping Description: ORM-D, Consum	r commodity, cleaning compou	inds, aerosol, n.o.s.	
NFPA Ratings:	HMISI	Ratings:	
Health: 1- Slight		Health: 1- Slight	
Fire: 1- Slight		Fire: 1- Slight	
Reactivity: 1- Slight	Res	activity: 1- Slight	
	Pers. Prot.	Equip.: See Section VIII	

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z- 1 - A		NTP, IARC	
		CAS Registry			CELING	or OSHA
Chemical Name(s)	% W	No.	TWA mg/m ³	STEL mg/m ³	mg/m ³	Carcinogen
Isopropanol	1-5	67-63-0	980	1225	Not Established	No
Liquified petroleum gas	5-10	68476-85-7	1800	Not Established	Not Established	No
Propylene glycol monopropyl ether	1-5	1569-01-3	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point:	(Concentrate) 181 °F	Vapor Pressure:	Not Established
Vapor Density (AIR = 1):	Not Established	Solubility in Water:	Complete
pH:	8.5 -9.0	Specific Gravity (H ₂ O=1):	0.905 (concentrate)
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	
Physical State:	Liquid		
Appearance & Odor: Clear liquid, pleasant fragrance			

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	Propellant: < 0°F	Method Used:	ASTM-D3065
Flammable Limits:	Not Established		0" NFPA 30 B Storage Level 1 Aerosol.
Extinguishing Media:	Water, Carbon dioxide, Dry Chemical.		
	Water may be used to cool closed containers to prevent pressure build-up and possible rupture, venting or bursting of containers. Use equipment or shielding required to protect personnel against bursting, rupturing or venting containers.		
Unusual Fire & Explosive Hazards	At elevated temperatures (130°F / 54°C) containers may vent, rupture or burst.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established		Inhalation, Skin Contact, Eyes and Oral.
Conditions to Avoid:	MAY CAUSE EYE AND SK and swelling. MAY BE HARMFUL IF SW pain and diarrhea. INHALATION OF VAPORS IRRITATION. Avoid contac Avoid breathing product vap after handling.	ALLOWED. Symptoms n S OR SPRAY MIST MAY t with eyes and skin and c	nay include nausea, vomiting, CAUSE RESPIRATORY lothing. Do not swallow.
Conditions Aggravated by Use:	Use of this product may aggravincluding asthma and dermatiti		nd respiratory disorders

Emergency & First Aid Procedures:

<u> </u>	
Eyes:	In case of contact; immediately flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention if irritation persists.
	In case of contact; immediately flush skin with water for at least 15 minutes. Get medical attention if irritation persists.
	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
	In case of respiratory irritation; move person to fresh air. Get medical attention if irritation persists.

SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	None known
Hazardous Decomposition Products:		Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:	Flush with water through sanitary sewer system.
1 ·	Do not incinerate or puncture aerosol container. Dispose of in accordance with state or local regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

	Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or water-resistant gloves
Eye Protection(Specify Type):	Splash Goggles
Other Protective Equipment:	See 29 CFR 1910.132-138 for further reference.

SECTION IX: SPECIAL PRECAUTIONS

,	Contents under pressure. Do not use near fires, sparks, or flame. Do not store where temperatures could exceed 120°F.
Other Precautions:	Keep out of reach of children.
Other Trecautions.	

© SCC 04/15/2004 GLASS CLEANER (AEROSOL)	Name: Effective Date:	Ronald T. Cook 04/15/2004	Title: Supercedes:	Manager, Regulatory Affairs 09/23/1999
---	-----------------------------	------------------------------	-----------------------	---

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections I, II, III, V & VIII

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.