Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): Product Division: Janitorial **XTRACTION II** Product Number: 3096 Product/Technical Information: **1-(800)-537-8990** Spartan Chemical Company, Inc. Medical Emergency:1-(888)-314-6171 (24 hours) 1110 Spartan Drive Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours) Maumee OH 43537 Emergency: Shipping Description: Cleaning compounds, liquid, n.o.s **NFPA Ratings: HMIS Ratings:** Health: 2 - Moderate *2 - Moderate; Chronic Hazard Health: Fire: 0 - Minimal Fire: 0 - Minimal **Reactivity:** 0 - Minimal Reactivity: 0 - Minimal Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z- 1 - A		NTP, IARC	
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	or OSHA Carcinogen
Nonyl phenol ethoxylate	1-5	9016-45-9	Not Established	Not Established	Not Established	No
Sodium carbonate	1-5	497-19-8	Not Established	Not Established	Not Established	No
*2-Butoxyethanol	1-5	111-76-2	120 [skin]	Not Established	Not Established	No
Sodium alkylnaphthalenesulfonate	1-5	Proprietary	Not Established	Not Established	Not Established	No
Tetrasodium ethylene diaminetetraacetate	1-5	64-02-8	Not Established	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

Boiling Point:	212 °F	Vapor Pressure:	Not determined
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	11.3-11.8	Specific Gravity	1.049
		(H ₂ O=1):	
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	10-15
Physical State:	Liquid		
Appearance & Odor: Light green liquid, floral fragrance			

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Product does not support comb surrounding fire.	ustion. Use extinguishing m	nedia appropriate for
	Wear NIOSH approved self-co fire-exposed containers with w		and protective clothing. Cool
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established		Inhalation, Skin Contact, Eyes; Oral
Effects of Overexposure- Conditions to Avoid:	Causes skin irritation: Sympt through the skin. May be harmful if swallowed diarrhea. Inhalation of product mist m coughing and difficulty breath Contains 2-butoxyethanol w with symptoms such as hea to 2-butoxyethanol may cau animal data.	toms may include pain and r I: Symptoms may include ab ay cause respiratory irrita ing. thich may cause central ne dache; dizziness; nausea se blood cell; liver and kic	edness. Harmful if absorbed odominal pain, nausea and tion: Symptoms may include ervous system depression and drowsiness. Exposure
Conditions Aggravated by Use:	Use of this product may aggraving including asthma and dermatiti		d respiratory disorders
Emergency & First Aid Procedu	ires:		
Eyes:	Flush eyes with water for at least tention.	ast 15 minutes. Remove cont	tact lenses. Get medical
Skin:	Remove contaminated clothing attention if irritation persists. V		at least 15 minutes. Get medical before reuse.
Ingestion:	Do not induce vomiting unless Drink one or two glasses of wa anything by mouth to an uncor	ter to dilute product. Get me	
Inhalation:	In case of respiratory irritation	or dizziness; move person to	o fresh air. Get medical

SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	Strong oxidizing agents
Hazardous Decomposition Products:		Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for recovery or disposal.
Waste Disposal Method:	Assure conformance with federal, state and local regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

	Not normally required. However if respiratory irritation occurs; the use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
	Impervious rubber or other waterproof gloves are recommended when handing undiluted product.
Eye Protection(Specify Type):	Splash goggles are recommended when handling undiluted product.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep from freezing.
Other Precautions:	Keep out of reach of children.

© SCC 07/07/2005 XTRACTION II	Name: Effective Date:	Ronald T. Cook 07/07/2005	Title: Supercedes:	Manager, Regulatory Affairs 06/16/2003
----------------------------------	-----------------------------	------------------------------	-----------------------	--

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections I, IV, V, VII & VIII

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.