Material Safety Data Sheet Ook



1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION Page: 1

24-Hour Emergency Phone Number: 989-636-4400

Product: LIQUIDOW* ARMOR* DEICER

Product Code: 72065

Effective Date: 01/05/01 Date Printed: 12/18/01 MSD: 006591

The Dow Chemical Company, Midland, MI 48674

Customer Information Center: 800-258-2436

2. COMPOSITION/INFORMATION ON INGREDIENTS

Calcium chloride	CAS#	010043-52-4	29-31%
Potassium chloride	CAS#	007447-40-7	1-3%
Sodium chloride	CAS#	007647-14-5	1-4%
Proprietary ingredient			6.0-6.5%
Water	CAS#	007732-18-5	55-64%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

POTENTIAL HEALTH EFFECTS (See Section 11 for toxicological data.)

EYE: May cause severe irritation with corneal injury. Effects may be slow to heal.

SKIN: Short single exposure not likely to cause significant skin irritation. Prolonged or repeated exposure may cause skin irritation, even a burn. May cause more severe response if confined to skin or skin is abraded (scratched or cut). A single prolonged exposure is not likely to result in the material being absorbed through skin in harmful amounts.

INGESTION: Single dose oral toxicity is considered to be low. Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury. Ingestion may cause gastrointestinal

(Continued on page 2 , over)

^{*} OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

Product: LIQUIDOW* ARMOR* DEICER

Product Code: 72065

Effective Date: 01/05/01 Date Printed: 12/18/01 MSD: 006591

irritation or ulceration.

INHALATION: Mists may cause irritation of upper respiratory tract (nose and throat).

SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: No relevant information found.

4. FIRST AID

EYES: Irrigate with flowing water immediately and continuously for 15 minutes. Consult medical personnel.

SKIN: Wash off in flowing water or shower.

INGESTION: Do not induce vomiting. Give large amounts of water or milk if available and transport to medical facility.

INHALATION: Remove to fresh air if effects occur. Consult a physician.

NOTE TO PHYSICIAN: No specific antidote. Supportive care. Treatment based on judgment of the physician in response to reactions of the patient.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: Not applicable METHOD USED: Not applicable

AUTOIGNITION TEMPERATURE: Not applicable

FLAMMABILITY LIMITS

LFL: Not applicable UFL: Not applicable

HAZARDOUS COMBUSTION PRODUCTS: Not applicable.

OTHER FLAMMABILITY INFORMATION: This material does not burn. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

EXTINGUISHING MEDIA: This material does not burn. If exposed to fire from another source, use suitable extinguishing agent for that fire.

⁽Continued on page 3)

^{*} OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

Product: LIQUIDOW* ARMOR* DEICER

Product Code: 72065

Effective Date: 01/05/01 Date Printed: 12/18/01 MSD: 006591

FIRE FIGHTING INSTRUCTIONS: Keep people away. Isolate fire area and deny unnecessary entry. This material does not burn. Fight fire for other material that is burning.

PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, pants, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES (See Section 15 for Regulatory Information)

PROTECT PEOPLE: Isolate area. Avoid contact with eyes and skin. May be a slipping hazard. Stop leak if it can be done safely. Wash exposed body areas thoroughly after handling. Use appropriate safety equipment. For additional information, refer to "Exposure Controls/Personnel Protection", MSDS Section 8.

PROTECT THE ENVIRONMENT: For small spills: Losses incidental to correct applications of this product in its intended uses are not expected to be harmful to the environment.

For large spills: Avoid contamination of drinking water, natural water, ground water or any waterway. Losses incidental to correct applications of this product in its intended uses are not expected to be harmful to the environment.

CLEANUP: For small spills: Contain spill if possible. Absorb with material such as sand. Collect material in suitable and and properly labeled open containers. Flush residue with plenty of water.

For large spills: Dike and transfer to suitable and properly labeled containers. Absorb with material such as sand. Flush residue with plenty of water.

7. HANDLING AND STORAGE

HANDLING: Refer to Exposure Controls/Personal Protection, Section 8, of the MSDS.

For more Storage and Handling information, refer to bulletin 173-01534.

(Continued on page 4 , over)

^{*} OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

Product: LIQUIDOW* ARMOR* DEICER

Product Code: 72065

Effective Date: 01/05/01 Date Printed: 12/18/01 MSD: 006591

STORAGE: For more storage and handling information, refer to product bulletin.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide general and/or local exhaust ventilation to control airborne levels below the exposure quidelines.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION: Use chemical goggles.

SKIN PROTECTION: When prolonged or frequently repeated contact could occur, use protective clothing impervious to this material. Selection of specific items such as gloves, boots, apron or full-body suit will depend on operation. If hands are cut or scratched, use gloves impervious to this material even for brief exposures. Use gloves with insulation for thermal protection, when needed.

RESPIRATORY PROTECTION: Atmospheric levels should be maintained below the exposure guideline. In misty atmospheres, use an approved mist respirator.

EXPOSURE GUIDELINES: Calcium chloride: Dow IHG is 10 mg/m3. Sodium Chloride: Dow IHG is 10 mg/m3. Potassium Chloride: Dow IHG is 10 mg/m3.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/PHYSICAL STATE: Brown liquid.

ODOR: Characteristic.

VAPOR PRESS: 13-15 mmHg @ 25C, 77F.

VAPOR DENSITY: Same as water.

BOILING POINT: 230-235F, 110-113C

SOLUBILITY IN WATER: Completely miscible. SPECIFIC GRAVITY: 1.31-1.36 @ 25C/70F

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable. Hygroscopic.

CONDITIONS TO AVOID: None known.

INCOMPATIBILITY WITH OTHER MATERIALS: Flammable hydrogen may be

(Continued on page 5)

Product: LIQUIDOW* ARMOR* DEICER

Product Code: 72065

Effective Date: 01/05/01 Date Printed: 12/18/01 MSD: 006591

generated from contact with metals such as zinc.

HAZARDOUS DECOMPOSITION PRODUCTS: Does not decompose.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION (See Section 3 for Potential Health Effects. For detailed toxicological data, write or call the address or non-emergency number shown in Section 1)

SKIN: The LD50 for skin absorption in rabbits is > 5000 mg/kg for CaCl2.

INGESTION: The oral LD50 for rats is in the range of 900-2100 mg/kg for CaCl2 (100% basis).

MUTAGENICTY (EFFECTS ON GENETIC MATERIAL): For CaCl2, in vitro mutagenicity studies were negative.

12. ECOLOGICAL INFORMATION (For detailed Ecological data, write or call the address or non-emergency number shown in Section 1)

ENVIRONMENTAL FATE

MOVEMENT & PARTITIONING: Partitioning from water to n-octanol is not applicable.

DEGRADATION & TRANSFORMATION: Biodegradation is not applicable.

ECOTOXICOLOGY: Based largely or completely on data for major component(s). Material is practically non-toxic to aquatic organisms on an acute basis (LC50 greater than 100 mg/L in most sensitive species).

13. DISPOSAL CONSIDERATIONS (See Section 15 for Regulatory Information)

DISPOSAL: All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. THE DOW CHEMICAL COMPANY HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION 2 (Composition/Information On Ingredients).

Product: LIQUIDOW* ARMOR* DEICER

Product Code: 72065

Effective Date: 01/05/01 Date Printed: 12/18/01 MSD: 006591

FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: reclaimer or waste water treatment system.

For additional information, refer to:

- Handling & Storage Information, MSDS Section 7.
- Stability & Reactivity Information, MSDS Section 10.
- Regulatory Information, MSDS Section 15.

As a service to its customers, Dow can provide names of information resources to help identify waste management companies and other facilities which recycle, reprocess or manage chemicals or plastics, and that manage used drums. Telephone Dow's Customer Information Center at 800-258-2436 or 517-832-1556 for further details.

14. TRANSPORT INFORMATION

UNITED STATES DOT INFORMATION:

This product is not regulated by D.O.T. when shipped domestically by land.

CANADIAN TDG INFORMATION:

This product is not regulated by TDG when shipped domestically by land.

15. REGULATORY INFORMATION (Not meant to be all-inclusive--selected regulations represented)

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

U.S. REGULATIONS

SARA 313 INFORMATION: To the best of our knowledge, this product contains no chemical subject to SARA Title III Section 313 supplier notification requirements.

(Continued on page 7)

^{*} OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

Product: LIQUIDOW* ARMOR* DEICER

Product Code: 72065

Effective Date: 01/05/01 Date Printed: 12/18/01 MSD: 006591

REGULATORY INFORMATION (CONTINUED)

SARA HAZARD CATEGORY: This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

An immediate health hazard

This product has been categorized as "an immediate health hazard" due to the possibility of eye or skin irritation.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

STATE RIGHT-TO-KNOW: This product is not known to contain any substances subject to the disclosure requirements of

New Jersey Pennsylvania

OSHA HAZARD COMMUNICATION STANDARD:

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product has been categorized as a "Hazardous Chemical" due to the possibility of eye or skin irritation.

COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA, or SUPERFUND):

To the best of our knowledge, this product contains no chemical subject

(Continued on page 8 , over)

^{*} OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

MATERIAL SAFETY DATA SHEET

Product: LIQUIDOW* ARMOR* DEICER

Product Code: 72065

Effective Date: 01/05/01 Date Printed: 12/18/01 MSD: 006591

PAGE: 8

REGULATORY INFORMATION (CONTINUED)

to reporting under CERCLA.

CANADIAN REGULATIONS

================

WHMIS INFORMATION: The Canadian Workplace Hazardous Materials Information System (WHMIS) Classification for this product is:

D2B - eye or skin irritant

Refer elsewhere in the MSDS for specific warnings and safe handling information. Refer to the employer's workplace education program.

CPR STATEMENT: This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

HAZARDOUS PRODUCTS ACT INFORMATION: This product contains the following ingredients which are Controlled Products and/or on the Ingredient Disclosure List (Canadian HPA section 13 and 14):

COMPONENTS: AMOUNT(%w/w) 29-31% CAS #

CAS# 010043-52-4 Calcium chloride

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):

All substances in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

16. OTHER INFORMATION

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATINGS:

Health 1 $\begin{array}{ll} \text{Flammability} & 0 \\ \text{Reactivity} & 0 \end{array}$

MSDS STATUS: Revised Sections 2, 3, 4, 7, 8, 9, 13 and 15.

^{*} OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY The Information Herein Is Given In Good Faith, But No Warranty, Express Or Implied, Is Made. Consult The Dow Chemical Company For Further Information.